



SEATTLE CITY COUNCIL

Legislative Summary

CB 118674

Record No.: CB 118674

Type: Ordinance (Ord)

Status: Passed

Version: 1

Ord. no: Ord 125081

In Control: City Clerk

File Created: 03/17/2016

Final Action: 07/29/2016

Title: AN ORDINANCE relating to land use and zoning; amending the Official Land Use Map at pages 3 and 13 to rezone land in the Bitter Lake Village Hub Urban Village; and amending Sections 23.47A.005, 23.47A.009, 23.47A.014 and 23.86.012 of the Seattle Municipal Code to change regulations for street-level uses, designate Linden Avenue North as a principal pedestrian street, and adopt development standards for certain properties in the Bitter Lake Village Hub Urban Village.

Date

Notes:

Filed with City Clerk:

Mayor's Signature:

Sponsors: Johnson

Vetoed by Mayor:

Veto Overridden:

Veto Sustained:

Attachments: Full Text CB 118674 v1, Ex A – Bitter Lake Village Hub Urban Village Rezone A, Ex B – Bitter Lake Village Hub Urban Village Rezone B, Ex C – Bitter Lake Village Hub Urban Village Rezone C

Drafter: valauri.stotler@seattle.gov

Filing Requirements/Dept Action:

History of Legislative File

Legal Notice Published:

Yes

No

Version:	Acting Body:	Date:	Action:	Sent To:	Due Date:	Return Date:	Result:
1	Mayor	04/05/2016	Mayor's leg transmitted to Council	City Clerk			
	Action Text:		The Council Bill (CB) was Mayor's leg transmitted to Council. to the City Clerk				
	Notes:						
1	City Clerk	04/05/2016	sent for review	Council President's Office			
	Action Text:		The Council Bill (CB) was sent for review. to the Council President's Office				
	Notes:						

Legislative Summary Continued (CB 118674)

- 1 Council President's Office 04/08/2016 sent for review Planning, Land Use, and Zoning Committee
Action Text: The Council Bill (CB) was sent for review. to the Planning, Land Use, and Zoning Committee
Notes:
- 1 Full Council 05/02/2016 referred Planning, Land Use, and Zoning Committee
- 1 Planning, Land Use, and Zoning Committee 07/14/2016 discussed
Action Text: The Council Bill (CB) was discussed.
Notes: The Committee held a Public Hearing relating to Council Bill 118674.
- 1 Planning, Land Use, and Zoning Committee 07/19/2016 pass Pass
Action Text: The Committee recommends that Full Council pass the Council Bill (CB).
In Favor: 3 Chair Johnson, Vice Chair O'Brien, Member Herbold
Opposed: 0
- 1 Full Council 07/25/2016 passed Pass
Action Text: The Council Bill (CB) was passed by the following vote, and the President signed the Bill:
In Favor: 8 Councilmember Burgess, Councilmember González , Council President Harrell, Councilmember Herbold, Councilmember Johnson, Councilmember Juarez, Councilmember O'Brien, Councilmember Sawant
Opposed: 0
- 1 City Clerk 07/26/2016 submitted for Mayor's signature Mayor
Action Text: The Council Bill (CB) was submitted for Mayor's signature. to the Mayor
Notes:
- 1 Mayor 07/29/2016 Signed
Action Text: The Council Bill (CB) was Signed.
Notes:
- 1 Mayor 07/29/2016 returned City Clerk
Action Text: The Council Bill (CB) was returned. to the City Clerk
Notes:
- 1 City Clerk 07/29/2016 attested by City Clerk
Action Text: The Ordinance (Ord) was attested by City Clerk.
Notes:
-

CITY OF SEATTLE
ORDINANCE 125081
COUNCIL BILL 118674

1
2
3
4
5 AN ORDINANCE relating to land use and zoning; amending the Official Land Use Map at
6 pages 3 and 13 to rezone land in the Bitter Lake Village Hub Urban Village; and
7 amending Sections 23.47A.005, 23.47A.009, 23.47A.014 and 23.86.012 of the Seattle
8 Municipal Code to change regulations for street-level uses, designate Linden Avenue
9 North as a principal pedestrian street, and adopt development standards for certain
10 properties in the Bitter Lake Village Hub Urban Village.

11
12 WHEREAS, from late 2010 through mid-2012, the Department of Planning and Development
13 (DPD) and Department of Neighborhoods (DON) conducted significant public outreach,
14 including to historically underrepresented communities such as seniors, youth and
15 renters, in the Bitter Lake, Broadview and Haller Lake neighborhoods. This outreach
16 engaged over 900 attendees representing a cross section of the residents, business owners
17 and community stakeholders at 32 public workshops and meetings to identify community
18 priorities for the future of the Broadview – Bitter Lake – Haller Lake planning area and
19 the Bitter Lake Village Hub Urban Village; and

20 WHEREAS, in March 2012, DPD published the Broadview – Bitter Lake – Haller Lake
21 Neighborhood Plan Update that summarizes the results of this work and reflects the input
22 from the broad community engagement; and

23 WHEREAS, the Neighborhood Plan Update prioritized: creating a village center along the
24 improved Linden Ave. North, with a dense mix of residences and businesses, and parks;
25 supporting an identifiable, interconnected and resilient community; establishing a
26 network of “complete streets” that provides safe and attractive walking and biking
27 connections linking people and places; and completing a corridor plan that guides the

1 reconstruction of Aurora Ave. North and establishes a land use and urban design strategy;
2 and

3 WHEREAS, after years of community activism Seattle’s Department of Transportation (SDOT)
4 began work in 2009 on design and construction of a “complete street” project on Linden
5 Avenue North from North 128th Street to North 145th Street; and

6 WHEREAS, King County Metro’s began RapidRide bus service along Aurora Avenue North in
7 2013; and

8 WHEREAS, on May 13, 2013, the City Council passed Ordinance 124177 amending the Seattle
9 Comprehensive Plan to incorporate changes developed during the update to the
10 Broadview – Bitter Lake – Haller Lake goals and policies contained in the Neighborhood
11 Planning Element of the Comprehensive Plan. These changes included goals to create “a
12 vibrant mixed-use ‘town center’ along Linden Ave. N,” and a “community where
13 neighbors are able to comfortably walk and bicycle from residential areas to Aurora Ave.
14 N;” and

15 WHEREAS, the Broadview – Bitter Lake – Haller Lake Neighborhood Plan Update
16 recommended developing rezones and changes to development standards that would
17 encourage development that supports these goals; and

18 WHEREAS, the proposed rezones meet the Land Use Code rezone criteria contained in Chapter
19 23.34, Amendments to Official Land Use Map (Rezones); NOW, THEREFORE,

20 **BE IT ORDAINED BY THE CITY OF SEATTLE AS FOLLOWS:**

21 Section 1. The Official Land Use Map, Chapter 23.32 of the Seattle Municipal Code, is
22 amended to rezone properties identified on Maps 3 and 13 of the Seattle Zoning Maps, as shown
23 on Exhibits A, B, and C attached to this ordinance.

1 Section 2. Subsections 23.47A.005.C and 23.47A.005.D of the Seattle Municipal Code,
2 which section was last amended by Ordinance 124770, are amended as follows

3 **23.47A.005 Street-level uses**

4 * * *

5 C. Residential uses at street level

6 1. In all NC and C zones, residential uses may occupy, in the aggregate, no more
7 than 20 percent of the street-level street-facing facade in the following circumstances or
8 locations:

9 a. In a pedestrian-designated zone, facing a designated principal pedestrian
10 street; or

11 b. In all NC and C1 zones within the Bitter Lake Village Hub Urban
12 Village, except lots abutting Linden Avenue North, north of North 135th Street; or

13 c. In all NC and C1 zones within the Lake City Hub Urban Village, except
14 as provided in subsection 23.47A.005.C.2; or

15 d. Within a zone that has a height limit of 85 feet or higher, except as
16 provided in subsection 23.47A.005.C.2; or

17 e. Within an NC1 zone, except as provided in subsection 23.47A.005.C.2;
18 or

19 f. In all NC and C1 zones within the Northgate Overlay District, except as
20 provided in Section 23.71.044; or

21 g. In all NC and C1 zones within the areas shown on Maps 1 through 5 for
22 23.47A.005.C at the end of this Chapter 23.47A when facing an arterial street.

1 2. Subsection 23.47A.005.C.1 notwithstanding, there is no restriction on the
2 location of residential uses in the following circumstances:

3 a. Within a very low-income housing project existing as of May 1, 2006, or
4 within a very low-income housing project replacing a very low-income housing project existing
5 as of May 1, 2006, on the same site; or

6 b. The residential use is an assisted living facility or nursing home and
7 private living units are not located at street level; or

8 c. Within the Pike/Pine Conservation Overlay District, for street-facing
9 facades that do not face a designated principal pedestrian street, as shown on Map A for
10 23.73.008; or

11 d. In a structure existing on January 1, 2012, that is within an NC1 zone
12 but not located in an area defined in Maps 1 through ~~((60))~~ 5 for 23.47A.005.C, at the end of this
13 Chapter 23.47A, a live-work space may be converted to an accessory dwelling unit if the
14 residential use is established, if the area proposed to be converted meets the minimum housing
15 standards of Chapter 22.206, and if the area proposed to be converted meets the owner
16 occupancy requirement of subsection 23.44.041.C; or

17 e. Within a structure that:

18 1) is developed and owned by the Seattle Housing Authority; and

19 2) is located on a lot zoned NC1 or NC3 that was owned by the
20 Seattle Housing Authority as of January 1, 2009.

21 3. Additions to, or on-site accessory structures for, existing single-family
22 structures are permitted outright.

1 4. Where residential uses at street level are limited to 20 percent of the street-level
2 street-facing facade, such limits do not apply to residential structures separated from the street lot
3 line by an existing structure meeting the standards of this Section 23.47A.005 and Section
4 23.47A.008, or by an existing structure legally nonconforming to those standards.

5 D. In pedestrian-designated zones the locations of uses are regulated as follows:

6 1. Along designated principal pedestrian streets, one or more of the following uses
7 are required along 80 percent of the street-level street-facing facade in accordance with the
8 standards provided in subsection 23.47A.008.C.

- 9 a. Arts facilities;
- 10 b. Community gardens;
- 11 c. Eating and drinking establishments;
- 12 d. Entertainment uses, except for adult cabarets, adult motion picture
13 theaters, and adult panorams;
- 14 e. Food processing and craft work;
- 15 f. Institutions, except hospitals or major institutions;
- 16 g. Lodging uses;
- 17 h. Medical services;
- 18 i. Offices, provided that no more than 30 feet of the street-level street-
19 facing facade of a structure may contain an office use;
- 20 j. Parks and open spaces;
- 21 k. Rail transit facilities;

1 l. Retail sales and services, automotive, in the Pike/Pine Conservation
2 Overlay District if located within an existing structure or within a structure that retains a
3 character structure as provided in Section 23.73.015;

4 m. Sales and services, general; and

5 n. Sales and services, heavy, except for heavy commercial sales, and
6 provided that no more than 30 feet of the street-level street-facing facade of a structure may
7 contain a non-household sales and service use.

8 The establishment of any such use is subject to the applicable use provisions of
9 this Title 23.

10 2. The following streets are principal pedestrian streets when located within a
11 pedestrian-designated zone:

12 10th Avenue;

13 11th Avenue;

14 12th Avenue;

15 13th Avenue, between East Madison Street and East Pine Street;

16 14th Avenue South, except within the North Beacon Hill Residential Urban
17 Village;

18 15th Avenue East;

19 15th Avenue Northeast, north of Lake City Way Northeast;

20 15th Avenue Northwest;

21 22nd Avenue Northwest;

22 23rd Avenue;

23 24th Avenue Northwest;

- 1 25th Avenue Northeast;
- 2 32nd Avenue West;
- 3 35th Avenue Northeast, except within the Lake City Hub Urban Village;
- 4 35th Avenue Southwest, except within the West Seattle Junction Hub Urban
- 5 Village;
- 6 39th Avenue Northeast;
- 7 Aurora Ave North, except within the Bitter Lake Village Hub Urban Village;
- 8 Beacon Avenue South;
- 9 Boren Avenue;
- 10 Boylston Avenue, except within the Pike/Pine Conservation Overlay District;
- 11 Broadway;
- 12 Broadway East;
- 13 California Avenue Southwest;
- 14 Delridge Way Southwest;
- 15 Dexter Avenue North;
- 16 East Green Lake Drive North;
- 17 East Green Lake Way North;
- 18 East Madison Street;
- 19 East Olive Way;
- 20 East Pike Street;
- 21 East Pine Street;
- 22 East Union Street, except within the Pike/Pine Conservation Overlay District only
- 23 lots abutting East Union Street between Broadway and East Madison Street;

- 1 Eastlake Avenue East;
- 2 First Avenue North, except within the Upper Queen Anne Residential Urban
- 3 Village;
- 4 Fremont Avenue North;
- 5 Fremont Place North;
- 6 Galer Street;
- 7 Green Lake Drive North;
- 8 Greenwood Avenue North;
- 9 Lake City Way Northeast;
- 10 Linden Avenue North;
- 11 Madison Street;
- 12 Martin Luther King Jr. Way South;
- 13 Mercer Street;
- 14 North 34th Street;
- 15 North 35th Street;
- 16 North 45th Street;
- 17 North 85th Street;
- 18 Northeast 43rd Street;
- 19 Northeast 45th Street, except between Linden Ave North and Evanston Ave
- 20 North;
- 21 Northeast 55th Street, east of 15th Avenue Northeast;
- 22 Northeast 65th Street;
- 23 Northeast 125th Street;

- 1 Northwest 65th Street;
- 2 Northwest 85th Street;
- 3 Northwest Market Street;
- 4 Phinney Avenue North, between North 58th Street and North 63rd Street;
- 5 Pike Street;
- 6 Pine Street;
- 7 Queen Anne Avenue North;
- 8 Rainier Avenue South;
- 9 Roosevelt Way Northeast;
- 10 Roy Street;
- 11 Sand Point Way Northeast;
- 12 South Alaska Street;
- 13 South Cloverdale Street;
- 14 South Henderson Street;
- 15 South Jackson Street;
- 16 South Lander Street;
- 17 South McClellan Street;
- 18 South Othello Street;
- 19 Southwest Alaska Street;
- 20 Stone Way North;
- 21 Summit Avenue, except within the Pike/Pine Conservation Overlay District;
- 22 Terry Avenue;
- 23 University Way Northeast;

1 Wallingford Avenue North;
2 West Dravus Street;
3 West Galer Street;
4 West McGraw Street, except within the Upper Queen Anne Residential Urban
5 Village;
6 West Green Lake Drive North; and
7 Woodlawn Avenue Northeast.

8 Section 3. Section 23.47A.009 of the Seattle Municipal Code, last amended by Ordinance
9 124952, is amended as follows:

10 **23.47A.009 Standards applicable to specific areas**

11 A. Resolution of standards conflicts. To the extent there is a conflict between this Section
12 23.47A.009 and other sections of Title 23, the provisions of this Section 23.47A.009 apply.

13 B. West Seattle Junction Hub Urban Village. The following provisions apply to
14 development in the NC3 85(4.75) zone.

15 1. Lot ~~((C))~~coverage ~~((L))~~limit. The maximum lot coverage permitted for
16 principal and accessory structures shall not exceed 80 percent on lots 40,000 square feet in size
17 or greater.

18 2. The total permitted FAR is as identified in subsection 23.47A.013.F.

19 3. Maximum ~~((W))~~width of ~~((S))~~structures. The maximum width of all portions of
20 a structure measured parallel to a north-south street lot line is 275 feet.

21 4. Setback and separation requirements

22 a. The following standards apply to structures greater than 250 feet in
23 width measured parallel to a north-south street lot line:

1 1) A minimum separation of 30 feet is required between structures
2 that are adjacent to the same north-south street lot line; and

3 2) A minimum setback of 15 feet is required from side lot lines
4 that are not street side lot lines and that separate lots that abut the same north-south street lot line;
5 and

6 3) Structures permitted in required setback and separation areas
7 pursuant to subsections 23.47A.009.A.4.a and 23.47A.009.A.4.b are subject to subsection
8 23.47A.014.E. In addition:

9 a) Decks with open railings may project up to 5 feet into
10 the required setback or separation area if they are no lower than 20 feet above existing or
11 finished grade. Decks may cover no more than 20 percent of the total setback or separation area.

12 b) ~~((Eaves, cornices and gutters may project no more than~~
13 ~~18 inches from the structure façade.~~

14 c) ~~Ramps or other devices necessary for access for the~~
15 ~~disabled and elderly that meet Seattle Building Code, Chapter 11, are permitted.~~

16 d) ~~Stairs or ramps to accommodate changes in grade are~~
17 ~~permitted.~~

18 e) ~~Underground structures are permitted.~~

19 f) ~~Within the setback area identified in subsection~~
20 ~~23.47A.009.A.4.b, u))~~ Unenclosed porches or steps for residential units no higher than 4 feet
21 above the grade at the street lot line closest to the porch are permitted.

22 g) ~~Above-grade green stormwater infrastructure (GSI)~~
23 ~~features are allowed without setback or separation restrictions if:~~

1 i) Each above-grade GSI feature is less than 4.5 feet
2 tall, excluding piping;

3 ii) Each above-grade GSI feature is less than 4 feet
4 wide; and

5 iii) The total storage capacity of all above-grade
6 GSI features is no greater than 600 gallons.

7 h) Above-grade GSI features larger than what is allowed in
8 subsection 23.47.009.B.4.a.3.g are allowed within a required setback or separation if:

9 i) Above-grade GSI features do not exceed 10
10 percent coverage of any one setback or separation area;

11 ii) No portion of an above-grade GSI feature is
12 located closer than 2.5 feet from a side lot line; and

13 iii) No portion of an above-grade GSI feature
14 projects more than 5 feet into a front or rear setback area.))

15 b. A setback of at least ((ten)) 10 feet from the street lot line is required
16 along non-arterial north-south avenues for at least 25 percent of the lot frontage or 100 feet of the
17 lot frontage, whichever is less.


18 c. Required setback and areas separating structures identified in
19 subsections ((23.47A.009.A.4.a)) 23.47A.009.A.4.a and 23.47A.009.A.4.b shall include
20 landscaping, paving, and lighting. Sidewalks for pedestrian access, plazas, or other approved
21 amenity or landscaped areas are permitted in required setback or separation areas.

22 d. ((Upper-Level Setback Requirements)) Upper-level setback
23 requirements along SW Alaska Street ((-))

1
2

Map A for 23.47A.009

Standards Applicable to Specific Areas: Bitter Lake



3

1 1. Upper-level setback requirement. The following standards apply to
2 development on lots abutting the east side of Linden Ave North or along both sides of the
3 corridor required in subsection 23.47A.009.C.2.

4 a. Any portion of a structure greater than 45 feet in height, measured from
5 the finished grade along the street property line that abuts Linden Avenue North or along the
6 access corridor required in subsection 23.47A.009.C.2, measured from the finished grade along
7 the edge of the access corridor, shall set back an average of 10 feet from the lot line abutting
8 Linden Avenue North or from the edge of the access corridor as measured according to Section
9 23.86.012. The maximum depth of a setback that can be used for calculating the average setback
10 is 20 feet.

11 b. Structures permitted in required setbacks are subject to subsection
12 23.47A.014.E.

13 2. Corridor requirement. An access corridor shall be provided on lots over eight
14 acres that abut Linden Avenue North and Aurora Avenue North, to connect Linden Avenue
15 North and Aurora Avenue North. The location of the proposed corridor shall be clearly shown on
16 the site plan that is submitted with the permit application.

17 a. The corridor shall have a minimum width of 40 feet and a maximum
18 width of 60 feet.

19 b. The point at which the corridor intersects Linden Avenue North and
20 Aurora Avenue North shall be at least 335 feet south of the south boundary of the North 135th
21 Street right-of-way, and 700 feet north of north boundary of the North 130th Street right-of-way,
22 as illustrated by example in Map A for 23.47A.009.

1 3) Overhead horizontal building projections of an architectural or
2 decorative character such as cornices, eaves, sills, and gutter, provided that they project no more
3 than 18 inches from the structure facade.

4 4) Ramps or other devices that provide access for the disabled and
5 elderly and that meet the standards of the Seattle Building Code are permitted.

6 5) Stairs or ramps to accommodate changes in grade.

7 6) Underground structures.

8 7) Unenclosed porches or steps for residential units no higher than
9 4 feet above the finished grade of the corridor are permitted to project no more than 4 feet into
10 the corridor.

11 8) Green stormwater infrastructure.

12 9) Features required elsewhere in this subsection 23.47A.009.C.2.

13 10) The Director may approve other features or structures, such as
14 overhead weather protection, signage, and art, that do not impede safe access from the site to
15 Linden Avenue North and Aurora Avenue North, and that enhance pedestrian comfort and safety
16 of the corridor.


17 g. If the area proposed for development on a site meeting the size
18 threshold for this subsection 23.47A.009.C.2 is less than the full lot, the Director may waive or
19 modify the access corridor requirement, if the applicant submits a site plan demonstrating how
20 Linden Avenue North and Aurora Avenue North will be connected by an access corridor when
21 the remainder of the lot is developed.


22 D. Roosevelt Urban Village. The following provisions apply within the area shown on
23 Map ((A))B for 23.47A.009.

1
2
3

Map ((A))B for 23.47.009

Roosevelt





1
2
3
4
5
6
7
8

1. Setback requirements

a. The following setbacks are required from the listed street property lines:

- 1) Northeast 66^(th) Street. An average ground-level setback of 10 feet along the length of the street property line and a minimum upper-level setback of 4 feet. The minimum upper-level setback shall be provided in addition to the required ground-level setback at all points along the length of the street property line at 45 feet of height and above, as measured from average finished grade.

1 e) The total storage capacity of all above-grade GSI
2 features is no greater than 600 gallons.

3 8) Above-grade GSI features larger than what is allowed in
4 subsection 23.47.009.D.1.b.7 are allowed within a required setback if:

5 a.) Above-grade GSI features do not exceed 10 percent
6 coverage of any one setback area;

7 b) No portion an above-grade GSI feature is located closer
8 than 2.5 feet from a side lot line; and

9 e) No portion of an above-grade GSI feature projects more
10 than 5 feet into a front or rear setback area.))

11 c. Where required setbacks may be averaged, measurement shall be ((per))
12 pursuant to subsection 23.86.012.A and the following:

13 1) Where a building is setback more than 30 feet from a lot line at
14 ground level, 30 feet shall be used as the ground_level setback amount for averaging purposes.

15 2) Where averaging is allowed for a required upper_level setback,
16 the measurement shall be taken horizontally from points directly above the lot line to the
17 ((façade)) façade of the structure at the height where the upper_level setback is required.

18 2. Landscaping. Required ground_level setbacks shall be landscaped, and may
19 include paving and lighting to enhance pedestrian safety and comfort. Sidewalks, plazas, and
20 other amenities or landscaped areas approved by the Seattle Department of Construction and
21 Inspections are permitted in required ground_level setbacks.

22 3. Limit on ((C))commercial ((U))uses. Commercial uses are prohibited within 80
23 feet of the street property line of Northeast 66((th))th Street, except within 50 feet of the

1 intersections of Northeast 66^(th) Street with Brooklyn Avenue Northeast, 14^(th) Avenue
2 Northeast, 12^(th) Avenue Northeast, and 15^(th) Avenue Northeast, as shown on Map ((A))
3 B for 23.47A.009.

4 4. Housing units on the ground floor. All housing units with a ((~~façade~~)) facade
5 that faces Northeast 66^(th) Street with no intervening housing units or commercial uses
6 between the housing unit and the Northeast 66^(th) Street lot line, and located on the first floor
7 of a building, shall have the primary pedestrian entrance to each housing unit directly accessible
8 from the exterior of the structure rather than a primary pedestrian entry through a common
9 entrance hallway.

10 5. Underground ((~~P~~)) parking. Parking shall be located below grade, except a
11 portion of a below-grade garage may extend up to 4 feet above existing or finished grade,
12 whichever is lower, provided that the parking that extends above grade is fully screened from
13 direct street view by the street-facing ((~~façade~~)) facade of the structure or by landscaping.

14 Section 4. Ssection 23.47A.014 of the Seattle Municipal Code, last amended by
15 Ordinance 124952, is amended as follows:

16 **23.47A.014 Setback requirements**

17 A. Definition. For the purposes of this Section 23.47A.014, "portions of structures"
18 include those features listed in subsection 23.47A.012.C, Rooftop features.

19 B. Setback requirements for lots abutting or across the alley from residential zones


20 1. A setback is required where a lot abuts the intersection of a side lot line and
21 front lot line of a lot in a residential zone. The required setback forms a triangular area. Two
22 sides of the triangle extend along the street lot line and side lot line 15 feet from the intersection
23 of the residentially zoned lot's front lot line and the side lot line abutting the residentially zoned

1 lot. The third side connects these two sides with a diagonal line across the commercially-zoned
2 lot (Exhibit A for 23.47A.014).

3 **Exhibit A for 23.47A.014**

4 **Seatback abutting a side or rear lot line of a residentially zoned lot**

5



6


7 2. A setback is required along any rear or side lot line that abuts a lot in a
8 residential zone or that abuts a lot that is zoned both commercial and residential if the
9 commercial zoned portion of the abutting lot is less than 50 percent of the width or depth of the
10 lot, as follows:

- 11 a. Ten feet for portions of structures above 13 feet in height to a maximum
12 of 65 feet; and

1 b. For each portion of a structure above 65 feet in height, additional
2 setback at the rate of 1 foot of setback for every 10 feet by which the height of such portion
3 exceeds 65 feet (Exhibit B for 23.47A.014).

4 **Exhibit B or 23.47A.014**

5 **Setback Abutting a Side or Rear Lot Line of a Residentially-Zoned Lot**



6
7 3. For a structure containing a residential use, a setback is required along any side
8 or rear lot line that abuts a lot in a residential zone or that is across an alley from a lot in a
9 residential zone, or that abuts a lot that is zoned both commercial and residential if the


1 commercial zoned portion of the abutting lot is less than 50 percent of the width or depth of the
2 lot, as follows:

3 a. Fifteen feet for portions of structures above 13 feet in height to a
4 maximum of 40 feet; and

5 b. For each portion of a structure above 40 feet in height, additional
6 setback at the rate of 2 feet of setback for every 10 feet by which the height of such portion
7 exceeds 40 feet (Exhibit C for 23.47A.014).

8 **Exhibit C for 23.47A.014**

9 **Setbacks for Structures with Residential Uses When Abutting a Residentially-Zoned Lot**



10

1 4. One-half of the width of an abutting alley may be counted as part of the
2 required setback. For the purpose of this Section 23.47A.014, the alley width and the location of
3 the rear lot line shall be determined prior to any dedication that may be required for alley
4 improvement purposes.

5 5. No entrance, window, or other opening is permitted closer than 5 feet to an
6 abutting residentially-zoned lot.

7 C. A minimum ~~((five-))5((+))~~ foot landscaped setback may be required under certain
8 conditions and for certain uses according to Section 23.47A.016, Screening and landscaping
9 standards.

10 D. Mobile ~~((Home Parks))~~ home parks. A minimum ~~((five-))5((+))~~ foot setback is
11 required along all street lot lines of a mobile home park. The setback must be landscaped
12 according to the provisions of ~~((Section 23.47A.016 D2))~~ subsection 23.47A.016.D.2.

13 E. Structures in required setbacks

14 1. Decks and balconies~~((+))~~

15 a. Decks with open railings may extend into the required setback, but are
16 not permitted within ~~((five-))5((+))~~ feet of a lot in a residential zone, except as provided in
17 subsection ~~((E1b))~~ 23.47A.014.E.1.b.

18 b. Decks that are accessory to residential uses and are no more than
19 ~~((eighteen-))18((+))~~ inches above existing or finished grade, whichever is lower, are permitted
20 within ~~((five-))5((+))~~ feet of a lot in a residential zone.

21 2. Eaves, cornices, and gutters projecting no more than ~~((eighteen-))18((+))~~ inches
22 from the structure facade are permitted in required setbacks.

1 3. Ramps or other devices necessary for access for the disabled and elderly, which
2 meet Seattle Building Code, Chapter 11, are permitted in required setbacks.

3 4. Uncovered, unenclosed pedestrian bridges, necessary for access and less than
4 ~~((five-))5((+))~~ feet in width, are permitted in required setbacks.

5 5. Fences, bulkheads, freestanding walls, and other similar structures~~((-))~~

6 a. Fences, freestanding walls, and other similar structures ~~((six-))6((+))~~
7 feet or less in height above existing or finished grade, whichever is lower, are permitted in
8 required setbacks. The ~~((six-))6((+))~~ foot height may be averaged along sloping grade for each
9 ~~((six-))6((+))~~ foot long segment of the fence, but in no case may any portion of the fence exceed
10 ~~((eight-))8((+))~~ feet.

11 b. Bulkheads and retaining walls used to raise grade may be placed in any
12 required setback when limited to ~~((six-))6((+))~~ feet in height, measured above existing grade. A
13 guardrail no higher than ~~((forty-two-))42((+))~~ inches may be placed on top of a bulkhead or
14 retaining wall existing as of September 30, 1994 ~~((the date of the ordinance codified in this~~
15 ~~section))~~. If a fence is placed on top of a new bulkhead or retaining wall, the maximum
16 combined height is limited to ~~((nine and one-half-))9 1/2~~((1/2))~~~~ feet.

17 c. Bulkheads and retaining walls used to protect a cut into existing grade
18 may not exceed the minimum height necessary to support the cut or ~~((six-))6((+))~~ feet, whichever
19 is greater. When the bulkhead is measured from the low side and it exceeds ~~((six-))6((+))~~ feet, an
20 open guardrail of no more than ~~((forty-two-))42((+))~~ inches meeting Building Code requirements
21 may be placed on top of the bulkhead or retaining wall. A fence must be set back a minimum of
22 ~~((three-))3((+))~~ feet from such a bulkhead or retaining wall.

23 6. Setback requirements do not limit underground structures.

1 7. Detached solar collectors are permitted in required setbacks. Such collectors
2 may be no closer than ~~((five-))5(())~~ feet to any other principal or accessory structure, and no
3 closer than ~~((three-))3(())~~ feet to any lot line that abuts a residentially-zoned lot.

4 8. Dumpsters and other trash receptacles, except for trash compactors, located
5 outside of structures are not permitted within ~~((ten-))10(())~~ feet of any lot line that abuts a
6 residential zone and must be screened per the provisions of ~~((section))~~Section 23.47A.016.

7 9. ~~((Above-grade))~~ ~~((g))~~Green stormwater infrastructure (GSI) features are
8 allowed without setback restrictions if:

- 9 a. Each above-grade GSI feature is less than 4.5 feet tall, excluding piping;
10 b. Each above-grade GSI feature is less than 4 feet wide; and
11 c. The total storage capacity of all above-grade GSI features is no greater
12 than 600 gallons.


13 10. Above-grade GSI features larger than what is allowed in subsection
14 23.47A.014.E.9 are allowed within a required setback if:

- 15 a. Above-grade GSI features do not exceed 10 percent coverage of any
16 one setback area;
17 b. No portion of an above-grade GSI feature is located closer than 2.5 feet
18 from a side lot line; ~~((and))~~
19 c. No portion of an above-grade GSI feature projects more than 5 feet into
20 a front or rear setback area~~((-))~~; and
21 d. Above-grade GSI features meet all applicable Building Code and
22 Plumbing Code requirements.


1 F. Setback requirement for loading adjacent to an alley. Where access to a loading berth
2 is from the alley, and truck loading is parallel to the alley, a setback of 12 feet is required for the
3 loading berth, measured from the centerline of the alley (Exhibit D for 23.47A.014). This setback
4 must be maintained up to a height of 12 feet.

5 **Exhibit D for 23.47A.014**

6 **Structure Setback for Truck Loading**



9 **Exhibit D for 23.47A.014**
Structure Setback for Truck Loading



1 G. A setback may be required in order to meet the provisions of Section 23.53.015,
2 Improvement requirements for existing streets in residential and commercial zones, and Section
3 23.53.030, Alley improvements in all zones.

4 Section 5. Section 23.86.012 of the Seattle Municipal Code, last amended by Ordinance
5 124843, is amended as follows:

6 **23.86.012 Multifamily and commercial zone setback measurement**

7 A. Setback averaging. In multifamily and commercial zones, certain required setbacks
8 may be averaged. In such cases the following provisions apply:

9 1. The average front and rear setbacks are calculated based on the entire width of
10 the structure;

11 2. The average side setbacks are calculated based on the entire depth of the
12 structure;


13 3. Setbacks are measured horizontally from the lot line to the facade of the
14 structure. The facade(s) used in calculating the average and minimum setback requirements shall
15 be those facades that are nearest to that lot line except that any features allowed to project into
16 the setback are excluded.

17 * * *

18

1 Section 6. This ordinance shall take effect and be in force 30 days after its approval by
2 the Mayor, but if not approved and returned by the Mayor within ten days after presentation, it
3 shall take effect as provided by Seattle Municipal Code Section 1.04.020.

4 Passed by the City Council the 25th day of July, 2016, and
5 signed by me in open session in authentication of its passage this
6 25th day of July, 2016.

7 
8 _____

9 President _____ of the City Council

10
11 Approved by me this 28th day of July, 2016.

12 
13 _____

14 Edward B. Murray, Mayor

15
16 Filed by me this 29th day of July, 2016.

17 
18 _____

19 Monica Martinez Simmons, City Clerk

20 (Seal)

21
22 Attachments:

23 Exhibit A – Bitter Lake Village Hub Urban Village Rezone A

24 Exhibit B – Bitter Lake Village Hub Urban Village Rezone B

25 Exhibit C – Bitter Lake Village Hub Urban Village Rezone C