

**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~D5D6~~

*Description:*

This amendment is a substitute version of CB 119544 that incorporates technical and clarifying amendments to fix typos and other drafting errors identified by Central Staff.

*Notes:*

Underlines in red text indicates new language to be added.

~~Strikethroughs in red text~~ indicate language proposed to be removed.

**CITY OF SEATTLE**

**ORDINANCE \_\_\_\_\_**

**COUNCIL BILL \_\_\_\_\_**

..title

AN ORDINANCE relating to land use and zoning, amending Sections 23.44.011, 23.44.014, 23.44.017, 23.44.020, 23.44.041, 23.45.545, 23.84A.002, 23.84A.032, 23.84A.038, and 23.86.007 of the Seattle Municipal Code to remove barriers to the creation of attached and detached accessory dwelling units and add a floor area ratio requirement in certain single-family zones.

..body

WHEREAS, the City Council adopted Resolution 31547 in September 2014, directing the Department of Planning and Development to explore policy changes that would increase the production of attached accessory dwelling units and detached accessory dwelling units, including regulatory changes, incentives, marketing, and promotion; and

WHEREAS, the Housing Affordability and Livability Agenda (HALA) Advisory Committee made recommendations in July 2015 to the Mayor and City Council, including Recommendation SF.1a to remove code barriers to accessory dwelling units and backyard cottages by removing the parking requirement, removing the owner-occupancy requirement, allowing a single lot to have both an attached and detached accessory dwelling unit, and making minor modifications to existing development standards for detached accessory dwelling units; and

**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~DSD6~~

1 WHEREAS, the City Council adopted Resolution 31609 in September 2015, declaring its intent  
2 to consider strategies to increase the availability of affordable housing in Seattle,  
3 outlining an overarching policy framework and timeline for the Mayor’s HALA  
4 recommendations, and establishing the Council Work Plan for HALA Recommendations,  
5 which included Strategy (h) to remove barriers to the development of detached and  
6 attached accessory dwelling units; and

7 WHEREAS, attached accessory dwelling units have been allowed on single-family lots since  
8 1994, and detached accessory dwelling units have been allowed on single-family lots  
9 since 2010, subject to certain development standards; and

10 WHEREAS, since 2010 only approximately 700 detached accessory dwelling units have been  
11 constructed, accounting for less than one percent of eligible single-family lots;

12 NOW, THEREFORE,

13 **BE IT ORDAINED BY THE CITY OF SEATTLE AS FOLLOWS:**

14 Section 1. Section 23.44.011 of the Seattle Municipal Code, enacted by Ordinance  
15 125791, is amended as follows:

16 **23.44.011 Floor area in ((RSL)) single-family zones**

17 A. Gross floor area. In ((RSL)) single-family zones, gross floor area includes exterior  
18 corridors, breezeways, and stairways that provide building circulation and access to dwelling  
19 units or sleeping rooms. Balconies, patios, and decks that are associated with a single dwelling  
20 unit or sleeping room and that are not used for common circulation, and ground-level walking  
21 paths, are not considered gross floor area.

22 B. Floor area ratio (FAR) limits.

**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~DSD6~~

1                   1.       The FAR limit on lots developed with a single-family dwelling unit as the  
2 principal use for single-family dwelling units in SF 5000, SF 7200, and SF 9600 zones, is 0.5,  
3 except that lots with less than 5,000 square feet of lot area can include up to 2,500 square feet of  
4 total chargeable floor area. The applicable FAR limit applies to the total chargeable floor area of  
5 all structures on the lot.

6                   2.       The FAR limit in RSL zones is 0.75. The applicable FAR limit applies to  
7 the total chargeable floor area of all structures on the lot.

8                   C.       The following floor area is exempt from FAR limits:

- 9                   1.       All stories, or portions of stories, that are underground.  
10                  2.       All portions of a story that extend no more than 4 feet above existing or  
11 finished grade, whichever is lower, excluding access.

- 12                  3.       In SF 5000, SF 7200, and SF 9600 zones:  
13                   a.       Any floor area contained in an accessory dwelling unit;  
14                   b.       Either up to 500 additional square feet of floor area in any ~~other~~  
15 accessory structure that is not a detached accessory dwelling unit, or up to 250 square feet of  
16 floor area in an attached garage.

17                  ((3)) 4.       ((Fifty)) In RSL zones, 50 percent of floor area contained in  
18 structures built prior to January 1, 1982, as single-family dwelling units that will remain in  
19 residential use, regardless of the number of dwelling units within the existing structure, provided  
20 the exemption is limited to the gross square footage in the single-family dwelling unit as of  
21 January 1, 1982.

**Full Council Amendment 1 (substitute) to CB 119544**  
**July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~DSD6~~

1 D. In SF 5000, SF 7200, and SF 9600 zones, additions to a single-family dwelling  
2 unit existing on the effective date of the ordinance introduced as Council Bill 119544 may  
3 exceed the FAR limit in subsection 23.44.011.B.1 if the addition adds floor area equal to or less  
4 than 20 percent of the floor area that existed on the effective date of the ordinance introduced as  
5 Council Bill 119544. Only one addition to any single-family dwelling unit may be exempted  
6 under this subsection 23.44.011.D.

7 Section 2. Section 23.44.014 of the Seattle Municipal Code, last amended by Ordinance  
8 125791, is amended as follows:

9 **23.44.014 Yards and separations**

10 \* \* \*

11 C. Exceptions from standard yard requirements. No structure shall be placed in a  
12 required yard except as follows:

13 1. Garages. Garages may be located in a required yard subject to the  
14 standards of Section 23.44.016.

15 2. Certain accessory structures in side and rear yards

16 a. Except for detached accessory dwelling units, any accessory  
17 structure that complies with the requirements of Section 23.44.040 may be constructed in a side  
18 yard that abuts the rear or side yard of another lot, or in that portion of the rear yard of a reversed  
19 corner lot within 5 feet of the key lot and not abutting the front yard of the key lot, upon  
20 recording with the King County Recorder's Office an agreement to this effect between the  
21 owners of record of the abutting properties.

**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~DSD6~~

1                                   b.       Except for detached accessory dwelling units, any detached  
2 accessory structure that complies with the requirements of Section 23.44.040 may be located in a  
3 rear yard, provided that on a reversed corner lot, no accessory structure shall be located in that  
4 portion of the required rear yard that abuts the required front yard of the adjoining key lot, nor  
5 shall the accessory structure be located closer than 5 feet from the key lot's side lot line unless  
6 the provisions of subsections 23.44.014.C.2.a or 23.44.016.D.9 apply.

7                                   c.       A detached accessory dwelling unit may be located in a rear yard  
8 subject to the requirements of subsection 23.44.041.C.

9                                   3.       A principal residential structure or a detached accessory dwelling unit may  
10 extend into one side yard if an easement is provided along the side or rear lot line of the abutting  
11 lot, sufficient to leave a 10-foot separation between that structure and any principal structure or  
12 detached accessory dwelling unit on the abutting lot. The 10-foot separation shall be measured  
13 from the wall of the principal structure or the wall of the detached accessory dwelling unit that is  
14 proposed to extend into a side yard to the wall of the principal structure or detached accessory  
15 dwelling unit on the abutting lot.

16                                   a.       No structure or portion of a structure may be built on either lot  
17 within the 10-foot separation, except as provided in this Section 23.44.014.

18                                   b.       Accessory structures, other than detached accessory dwelling units,  
19 and features of and projections from principal structures, such as porches, eaves, and chimneys,  
20 are permitted in the 10-foot separation area required by this subsection 23.44.014.C.3 if  
21 otherwise allowed in side yards by this subsection 23.44.014.C. For purposes of calculating the  
22 distance a structure or feature may project into the 10-foot separation, assume the property line is

**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~DSD6~~

1 5 feet from the wall of the principal structure proposed to extend into a side yard and consider  
2 the 5 feet between the wall and the assumed property line to be the required side yard.

3 c. No portion of any structure, including any projection, shall cross  
4 the property line.

5 d. The easement shall be recorded with the King County Recorder's  
6 Office. The easement shall provide access for normal maintenance activities to the principal  
7 structure on the lot with less than the required (~~5-foot~~) 5-foot side yard.

8 4. Certain additions. Certain additions to an existing single-family structure,  
9 or an existing accessory structure if being converted to a detached accessory dwelling unit may  
10 extend into a required yard if the existing single-family structure is already nonconforming with  
11 respect to that yard. The presently nonconforming portion must be at least 60 percent of the total  
12 width of the respective facade of the structure prior to the addition. The line formed by the  
13 existing nonconforming wall of the structure is the limit to which any additions may be built,  
14 except as described in subsections 23.44.014.C.4.a through 23.44.014.C.4.e. Additions may  
15 extend up to the height limit and may include basement additions. New additions to the  
16 nonconforming wall or walls shall comply with the following requirements (Exhibit A for  
17 23.44.014):

18 a. Side yard. If the addition is a side wall, the existing wall line may  
19 be continued by the addition except that in no case shall the addition be closer than 3 feet to the  
20 side lot line;

**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**


Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~DSD6~~

- 1                                   b.       Rear yard. If the addition is a rear wall, the existing wall line may  
2 be continued by the addition except that in no case shall the addition be closer than 20 feet to the  
3 rear lot line or centerline of an alley abutting the rear lot line;
- 4                                   c.       Front yard. If the addition is a front wall, the existing wall line may  
5 be continued by the addition except that in no case shall the addition be closer than 15 feet to the  
6 front lot line;
- 7                                   d.       If the nonconforming wall of the single-family structure is not  
8 parallel or is otherwise irregular, relative to the lot line, then the Director shall determine the  
9 limit of the wall extension, except that the wall extension shall not be located closer than  
10 specified in subsections 23.44.014.C.4.a, 23.44.014.C.4.b, and 23.44.014.C.4.c.
- 11                                  e.       Roof eaves, gutters, and chimneys on such additions may extend  
12 an additional 18 inches into a required yard, but in no case shall such features be closer than 2  
13 feet to the side lot line.

**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~DSD6~~

**1 Exhibit A for 23.44.014  
2 Additions into yards for existing single-family structures**



3  
4           5.       Uncovered porches or steps. Uncovered, unenclosed porches (( $\bar{\bar{r}}$ )) or steps  
5 may project into any required yard, if each component is no higher than 4 feet above existing  
6 grade, no closer than 3 feet to any side lot line, and has no horizontal distance greater than 6 feet  
7 within the required yard. For each entry to a principal structure, one uncovered, unenclosed  
8 porch and/or associated steps are permitted in the required yards.

9           6.       Certain features of a structure. Unless otherwise provided elsewhere in  
10 this Chapter 23.44, certain features of a principal or accessory structure, except for accessory  
11 dwelling units, may extend into required yards if they comply with the following:



**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~DSD6~~

1 a. External architectural details with no living area, such as  
2 chimneys, eaves, cornices, and columns, may project no more than 18 inches into any required  
3 yard;

4 b. Bay windows are limited to 8 feet in width and may project no  
5 more than 2 feet into a required front, rear, and street side yard;

6 c. Other projections that include interior space, such as garden  
7 windows, may extend no more than 18 inches into any required yard, starting a minimum of 30  
8 inches above finished floor, and with maximum dimensions of 6 feet in height and 8 feet in  
9 width;

10 d. The combined area of features permitted by subsections  
11 23.44.014.C.6.b and 23.44.014.C.6.c may comprise no more than 30 percent of the area of the  
12 facade.

13 7. Covered unenclosed decks and roofs over patios. Covered, unenclosed  
14 decks and roofs over patios, if attached to a principal structure or a detached accessory dwelling  
15 unit, may extend into the required rear yard, but shall not be within 12 feet of the centerline of  
16 any alley, or within 12 feet of any rear lot line that is not an alley lot line, or closer to any side lot  
17 line in the required rear yard than the side yard requirement of the principal structure along that  
18 side, or closer than 5 feet to any accessory structure. The height of the roof over unenclosed  
19 decks and patios shall not exceed 12 feet. The roof over such decks or patios shall not be used as  
20 a deck.

21 8. Access bridges. Uncovered, unenclosed access bridges are permitted as  
22 follows:

**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~DSD6~~

1 a. Pedestrian bridges 5 feet or less in width, and of any height  
2 necessary for access, are permitted in required yards, except that in side yards an access bridge  
3 must be at least 3 feet from any side lot line.

4 b. A driveway access bridge is permitted in the required yard abutting  
5 the street if necessary for access to parking. The vehicular access bridge shall be no wider than  
6 12 feet for access to one parking space or 18 feet for access to two or more parking spaces and of  
7 any height necessary for access. The driveway access bridge may not be located closer than 5  
8 feet to an adjacent property line.

9 9. Barrier-free access. Access facilities for the disabled and elderly that  
10 comply with Washington State Building Code ((;)) Chapter 11 are permitted in any required  
11 yard.

12 10. Freestanding structures and bulkheads

13 a. Fences, freestanding walls, bulkheads, signs, and similar structures  
14 6 feet or less in height above existing or finished grade, whichever is lower, may be erected in  
15 any required yard. The 6-foot height may be averaged along sloping grade for each 6-foot-long  
16 segment of the fence, but in no case may any portion of the fence exceed 8 feet. Architectural  
17 features may be added to the top of the fence or freestanding wall above the 6-foot height if the  
18 features comply with the following: horizontal architectural feature(s), no more than 10 inches  
19 high, and separated by a minimum of 6 inches of open area, measured vertically from the top of  
20 the fence, are permitted if the overall height of all parts of the structure, including post caps, is  
21 no more than 8 feet. Averaging the 8-foot height is not permitted. Structural supports for the  
22 horizontal architectural feature(s) may be spaced no closer than 3 feet on center.

**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~DSD6~~

1                                   b.       The Director may allow variation from the development standards  
2 listed in subsection 23.44.014.C.10.a, according to the following:

3                                   1)       No part of the structure may exceed 8 feet; and

4                                   2)       Any portion of the structure above 6 feet shall be  
5 predominately open, such that there is free circulation of light and air.

6                                   c.       Bulkheads and retaining walls used to raise grade may be placed in  
7 any required yard when limited to 6 feet in height, measured above existing grade. A guardrail  
8 no higher than 42 inches may be placed on top of a bulkhead or retaining wall existing as of  
9 February 20, 1982. If a fence is placed on top of a new bulkhead or retaining wall, the maximum  
10 combined height is limited to 9 1/2 feet.

11                                  d.       Bulkheads and retaining walls used to protect a cut into existing  
12 grade may be placed in any required yard when limited to the minimum height necessary to  
13 support the cut. If the bulkhead or retaining wall is measured from the low side and it exceeds 6  
14 feet, an open guardrail of no more than 42 inches meeting Building Code requirements may be  
15 placed on top of the bulkhead or retaining wall. If the bulkhead or retaining wall is 6 feet or less,  
16 a fence may be placed on top up to a maximum combined height of 9.5 feet for both fence and  
17 bulkhead or retaining wall.

18                                  e.       If located in shoreline setbacks or in view corridors in the  
19 Shoreline District as regulated in Chapter 23.60A, structures shall not obscure views protected  
20 by Chapter 23.60A, and the Director shall determine the permitted height.

21                                  11.       Decks in yards. Decks no higher than 18 inches above existing or finished  
22 grade, whichever is lower, may extend into required yards.

**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~DSD6~~

1                   12.     Mechanical equipment. Heat pumps and similar mechanical equipment,  
2 not including incinerators, are permitted in required yards if they comply with the requirements  
3 of Chapter 25.08. Any heat pump or similar equipment shall not be located within 3 feet of any  
4 lot line. Charging devices for electric cars are considered mechanical equipment and are  
5 permitted in required yards if not located within 3 feet of any lot line.


6                   13.     Solar collectors. Solar collectors may be located in required yards, subject  
7 to the provisions of Section 23.44.046.

8                   14.     Front yard projections for structures on lots 30 feet or less in width. For a  
9 structure on a lot in an SF 5000, SF 7200, or SF 9600 zone that is 30 feet or less in width,  
10 portions of the front facade that begin 8 feet or more above finished grade may project up to 4  
11 feet into the required front yard, provided that no portion of the facade, including eaves and  
12 gutters, shall be closer than 5 feet to the front lot line (Exhibit B for 23.44.014), and provided  
13 further that no portion of the facade of an existing structure that is less than 8 feet or more above  
14 finished grade already projects into the required front yard.

**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~DSD6~~

- 1 **Exhibit B for 23.44.014**
- 2 **Front yard projections permitted for structures on lots 30 feet or less in width**



3

**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~DSD6~~

1                   15.     Front and rear yards may be reduced by 25 percent, but no more than 5  
2 feet, if the site contains a required environmentally critical area buffer or other area of the  
3 property that cannot be disturbed pursuant to subsection 25.09.280.A.

4                   16.     Arbors. Arbors may be permitted in required yards under the following  
5 conditions:

6                   a.       In any required yard, an arbor may be erected with no more than a  
7 40-square-foot footprint, measured on a horizontal roof plane inclusive of eaves, to a maximum  
8 height of 8 feet. Both the sides and the roof of the arbor shall be at least 50 percent open, or if  
9 latticework is used, there shall be a minimum opening of 2 inches between crosspieces.

10                  b.       In each required yard abutting a street, an arbor over a private  
11 pedestrian walkway with no more than a 30-square-foot footprint, measured on the horizontal  
12 roof plane and inclusive of eaves, may be erected to a maximum height of 8 feet. The sides of the  
13 arbor shall be at least 50 percent open, or if latticework is used, there shall be a minimum  
14 opening of 2 inches between crosspieces.

15                  17.     Stormwater management

16                  a.       Above-grade green stormwater infrastructure (GSI) features are  
17 allowed without yard restrictions if:

18                               1)     Each above-grade GSI feature is less than 4.5 feet tall,  
19 excluding piping;

20                               2)     Each above-grade GSI feature is less than 4 feet wide; and

21                               3)     The total storage capacity of all above-grade GSI features  
22 is no greater than 600 gallons.

**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~DSD6~~

1                                   b.       Above-grade GSI features larger than what is allowed in  
2 subsection 23.44.014.C.17.a are allowed within a required yard if:

3                                   1)       Above-grade GSI features do not exceed ten percent  
4 coverage of any one yard area;

5                                   2)       No portion of an above-grade GSI feature is located closer  
6 than 3 feet from a side lot line;

7                                   3)       No portion of an above-grade GSI feature is located closer  
8 than 20 feet from a rear lot line or centerline of an alley abutting the rear lot line; and

9                                   4)       No portion of an above-grade GSI feature is located closer  
10 than 15 feet from the front lot line.

11                                18.       A structure may be permitted to extend into front and rear yards as  
12 necessary to protect exceptional trees and trees over 2 feet in diameter pursuant to Section  
13 25.11.060.

14                                D.       Additional standards for structures if allowed in required yards. Structures in  
15 required yards shall comply with the following:

16                                1.       Accessory structures, attached garages, and portions of a principal  
17 structure shall not exceed a maximum combined coverage of 40 percent of the required rear yard,  
18 except that a detached accessory dwelling unit may cover an additional 20 percent of the rear  
19 yard provided that the increased rear yard coverage does not require removal of any exceptional  
20 trees or trees over 2 feet in diameter measured 4.5 feet above the ground. In the case of a rear  
21 yard abutting an alley, rear yard coverage shall be calculated from the centerline of the alley.

**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~DSD6~~

1                   2.       Any accessory structure located in a required yard shall be separated from  
2 its principal structure by a minimum of 5 feet. This requirement does not apply to terraced  
3 garages that comply with subsection 23.44.016.C.9.b.

4                   3.       Except for detached accessory dwelling units, ~~((in subsection~~  
5 ~~23.44.041.B,))~~ any accessory structure located in a required yard shall meet both the following  
6 standards:

- 7                           a.       A maximum height of 12 feet; and  
8                           b.       A maximum size of 1,000 square feet in area.

9                   4.       Any detached accessory dwelling unit located in a required yard is subject  
10 to the requirements of subsection 23.44.041.C.

11   \* \* \*

12                   Section 3. Section 23.44.017 of the Seattle Municipal Code, enacted by Ordinance  
13 125791, is amended as follows

14 **23.44.017 Density limits**

15                   A. In SF 5000, SF 7200, and SF 9600 zones, only one single-family dwelling unit is  
16 allowed per lot, except that ~~((an))~~ up to two accessory dwelling units may also be approved  
17 pursuant to Section 23.44.041, and except as approved as part of an administrative conditional  
18 use permit under Section 25.09.260, a clustered housing planned development under Section  
19 23.44.024, or a planned residential development under Section 23.44.034.

20   \* \* \*

21                   Section 4. Section 23.44.020 of the Seattle Municipal Code, enacted by Ordinance  
22 125791, is amended as follows:



**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~DSD6~~

**23.44.020 Tree requirements**

A. Tree requirements in SF 5000, SF 7200, and SF 9600 zones

1. Trees sufficient to meet the following requirements shall be provided

when single-family dwelling units are constructed:

a. For lots over 3,000 square feet, at least 2 caliper inches of tree per 1,000 square feet of lot area.

b. On lots that are 3,000 square feet or smaller, at least 3 caliper inches of tree.

2. Trees sufficient to meet the following requirements shall be provided

when a new structure, or an addition to an existing structure, containing an accessory dwelling unit is constructed:

a. For lots that do not contain the minimum number of caliper inches of tree required by subsection 23.44.020.A.1 at the time a permit application is submitted for any number of accessory dwelling units, at least 2 caliper inches of tree shall be planted;

b. For lots that contain the minimum number of caliper inches of tree required by subsection 23.44.020.A.1 at the time a permit application is submitted for any number of accessory dwelling units, no new trees are required.

~~(2)~~ 3. The minimum number of caliper inches of tree required may be met by preserving existing trees, planting new trees, or by a combination of preservation and planting. The preservation or planting of trees in the right-of-way may be counted, provided that they are approved by the Director of Transportation.



**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~D5D6~~

**23.44.041 Accessory dwelling units**

A. ~~((Accessory dwelling units, general provisions))~~ General provisions. The Director may authorize an accessory dwelling unit, and that dwelling unit may be used as a residence, only under the following conditions:

1. Number of accessory dwelling units allowed on a lot:

a. In an SF 5000, SF 7200, or SF 9600 zone, a lot with or proposed for a principal single-family dwelling unit may have ~~((no more than one))~~ up to two accessory dwelling units, provided that the following conditions are met:

1) Only one accessory dwelling unit may be a detached accessory dwelling unit; and

2) A second accessory dwelling unit is allowed only if : (1) the applicant makes a commitment that the new principal structure or the new accessory structure containing a detached accessory dwelling unit will meet a green building standard and shall demonstrate compliance with that commitment, all in accordance with Chapter 23.58D. A second accessory dwelling unit that is proposed within an existing structure does not require the structure to be updated to meet the green building standard; or (2) if the second accessory dwelling unit is a rental unit affordable to and reserved solely for “income-eligible households,” as defined in Section 23.58A.004, and is subject to an agreement specifying the affordable housing requirements under this subsection approved by the Director of Housing to ensure that the housing shall serve only income-eligible households for a minimum period of 50 years. The monthly rent, including basic utilities, shall not exceed 30 percent of the income limit for the unit, all as determined by the Director of Housing, and the housing owner shall submit a report to

**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~DSD6~~

1 the Office of Housing annually that documents how the affordable housing meets the terms of  
2 the recorded agreement. ~~Prior to issuance, and as a condition to issuance, of the first building~~  
3 ~~permit for a project, the applicant shall execute and record a declaration in a form acceptable to~~  
4 ~~the Director that shall commit the applicant to satisfy the conditions to establishing a second~~  
5 ~~accessory dwelling unit as approved by the Director.~~

6                   b.       In an RSL zone, each principal dwelling unit may have no more  
7 than one accessory dwelling unit.

8                   2.       In the Shoreline District, accessory dwelling units shall be as provided in  
9 Chapter 23.60A; where allowed in the Shoreline District, they are also subject to the provisions  
10 in this Section 23.44.041.

11                   ~~((3.—The owner(s) of the lot shall comply with the owner occupancy~~  
12 ~~requirements of subsection 23.44.041.C.~~

13                   4)) 3.   Any number of related persons may occupy each unit ~~((in a single family~~  
14 ~~dwelling unit)) on a lot with ((an)) one or more accessory dwelling units.~~((; provided that, if)) If~~  
15 ~~unrelated persons occupy ((either-)) any dwelling unit, the total number of persons occupying~~  
16 ~~((both)) all dwelling units may not altogether exceed eight if there is ~~none or~~ one accessory~~  
17 ~~dwelling unit on the lot. If ~~there are~~ two accessory dwelling units exist on the lot, the total~~  
18 ~~number of unrelated persons occupying all units may not altogether exceed 12.~~~~

19                   ~~((5.—All accessory dwelling units are required to meet the development~~  
20 ~~standards in Table A for 23.44.041, unless modified in subsection 23.44.041.B:~~

**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~D5D6~~

<b>Table A for 23.44.041 Development standards for all accessory dwelling units</b>	
a. Maximum gross floor area	Attached accessory dwelling units are limited to 1,000 square feet, including garage and storage area. <sup>1</sup> Detached accessory dwelling units are limited to 800 square feet, including any garage and storage area provided in the same structure as the accessory dwelling unit, but excluding areas below grade, measured as set forth in Section 23.86.007.
b. Entrances	In SF 5000, SF 7200, and SF 9600 zones, only one entrance to the structure may be located on each street facing facade of the dwelling unit. <sup>2</sup>
Footnotes to Table A for 23.44.041: <sup>1</sup> The gross floor area of an attached accessory dwelling unit may exceed 1,000 square feet only if the portion of the structure in which the accessory dwelling unit is located was in existence as of June 1, 1999, and if the entire accessory dwelling unit is located on one level, except that a garage for the accessory dwelling unit may be located on a different level. <sup>2</sup> More than one entrance may be allowed if: a) two entrances on the street facing facade existed on January 1, 1993; or b) the Director determines that topography, screening, or another design solution is effective in de-emphasizing the presence of a second entrance.))	

1                   4.       In an SF 5000, SF 7200, or SF 9600 zone, accessory dwelling units are  
2 subject to the tree requirements in subsection 23.44.020.A.2.

3                   ~~((6)) 5.           ((Except on lots located within areas that are defined as either an~~  
4 ~~urban center or urban village in the City's Comprehensive Plan, one off-street parking space is~~  
5 ~~required for the accessory dwelling unit and may be provided as tandem parking with the parking~~  
6 ~~space provided for the principal dwelling unit.)) No off-street parking is required for accessory  
7 dwelling units. An existing required parking space may not be eliminated to accommodate an  
8 accessory dwelling unit unless it is replaced elsewhere on the lot. ~~((Except for lots located in~~  
9 ~~either Map A for 23.54.015, University District Parking Impact Area, or Map B for 23.54.015,~~  
10 ~~Alki Area Parking Overlay, the Director may waive the off-street parking space requirement for~~  
11 ~~an accessory dwelling unit if:~~~~

12                   a.       ~~The topography or location of existing principal or accessory~~  
13 ~~structures on the lot makes provision of an off-street parking space physically infeasible; or~~

**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~D5D6~~

1                                    ~~b. The lot is located in a restricted parking zone (RPZ) and a current~~  
2 ~~parking study is submitted showing a utilization rate of less than 75 percent for on-street parking~~  
3 ~~within 400 feet of all property lines of the site.))~~

4                    B. Attached accessory dwelling units. Attached accessory dwelling units are subject  
5 to the following additional conditions:

6                    1. The gross floor area of an attached accessory dwelling unit may not  
7 exceed 1,000 square feet, excluding garage area, unless the portion of the structure in which the  
8 attached accessory dwelling unit is located existed as of December 31, 2017.

9                    2. In an SF 5000, SF 7200, or SF 9600 zone, only one entrance to the  
10 structure may be located on each street-facing facade of the structure, unless multiple entrances  
11 on the street-facing facade existed on January 1, 1993, or unless the Director determines that  
12 topography, screening, or another design solution is effective in de-emphasizing the presence of  
13 an additional entrance.

14                    ~~((B)) C. ((Accessory)) Detached accessory dwelling units. ((, detached, additional~~  
15 ~~provisions. The Director may authorize a detached)) Detached accessory dwelling units are ((;~~  
16 ~~and that unit may be used as a residence, only under the conditions set forth in subsection~~  
17 ~~23.44.041.A and)) subject to the following additional conditions:~~

18                    1. Detached accessory dwelling units are required to meet the additional  
19 development standards set forth in Table ((B)) A for 23.44.041.

<b>Table ((B)) <u>A</u> for 23.44.041 Development standards for detached accessory dwelling units<sup>1,2</sup></b>	
a. Minimum lot size	<del>((4,000))</del> <u>3,200</u> square feet
b. Minimum lot width	25 feet
c. Minimum lot depth	70 feet <sup>3 ((2))</sup>

**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~D5D6~~

<b>Table ((B)) <u>A</u> for 23.44.041 Development standards for detached accessory dwelling units<sup>1,2</sup></b>					
d. Maximum lot coverage	((The provisions of Section 23.44.010 apply.)) <u>Detached accessory dwelling units are subject to the requirements governing maximum lot coverage and lot coverage exceptions in subsections 23.44.010.C and 23.44.010.D.</u>				
e. Maximum rear yard coverage	((A detached)) <u>Detached accessory dwelling units, together with any other accessory structures and other portions of the principal structure, ((is limited to a maximum combined coverage of 40 percent of the rear yard)) are subject to the requirements governing maximum rear yard coverage <del>and lot coverage</del> exceptions in subsections 23.44.014.D.</u>				
f. Maximum ((gross floor area)) <u>size</u>	((800)) <u>The gross floor area of a detached accessory dwelling unit may not exceed 1,000 square feet ((including)) excluding garage and storage areas, ((but excluding covered)) porches and covered decks that are less than 25 square feet in area, and ((underground areas measured as set forth in Section 23.86.007)) gross floor <del>that is underground area below grade.</del></u>				
g. Front yard	A detached accessory dwelling unit may not be located within the front yard required by subsection 23.44.014.B, except on a through lot pursuant to Section 23.40.030 or Section 23.40.035, ((and row i of this Table B for 23.44.041.))				
h. Minimum side yard	((The provisions of subsection 23.44.014.C apply. <sup>7</sup> )) <u>A detached accessory dwelling unit may not be located within the side yard required by subsection 23.44.014.B except as provided in subsection 23.44.014.C.3 or 23.44.014.C.4.<sup>4</sup></u>				
i. Minimum rear yard	A detached accessory dwelling unit may be located within a required rear yard if it is not within 5 feet of any lot line, unless the lot line is adjacent to an alley, in which case a detached accessory dwelling unit may be located at that lot line. <sup>((3,)) 4, 5, 6</sup>				
j. Location of entry	((Entrances to detached accessory dwelling units may not be located on facades)) <u>If the entrance to a detached accessory dwelling unit is located on a facade facing ((the nearest)) a side lot line or ((the)) a rear lot line, the entrance may not be within 10 feet of that lot line unless ((the nearest side)) that lot line ((or rear lot line)) abuts an alley or other public right-of-way.</u>				
k. Maximum height limits <sup>7, 8, 9 ((6))</sup>	Lot width (feet)				
	Less than 30	30 ((or greater)) up to ((35)) <u>40</u>	((Above 35 up to 40))	((Above)) <u>40</u> up to 50 <sup>((6))</sup>	50 or greater
(1) Base structure height limit (in feet) <sup>10</sup>	((12)) <u>14</u>	((14)) <u>16</u>	((15))	((16)) <u>18</u>	((16)) <u>18</u>

**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~D5D6~~

<b>Table ((B)) <u>A</u> for 23.44.041 Development standards for detached accessory dwelling units<sup>1,2</sup></b>					
(2) Height allowed for pitched roof above base structure height limit (in feet)	3	7	((7))	((6)) <u>5</u>	7
(3) Height allowed for shed or butterfly roof above base structure height limit (in feet); see Exhibit A for 23.44.041	3	4	((4))	4	4
l. Minimum separation from principal ((structure)) <del>single-family</del> dwelling unit	5 feet				
((m. Number per lot	Only one detached accessory dwelling unit is allowed on a lot.))				



**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD

~~D5D6~~

**Table ((B)) A for 23.44.041  
Development standards for detached accessory dwelling units<sup>1,2</sup>**

Footnotes to Table ((B)) A for 23.44.041

<sup>1</sup> The Director may allow an exception to standards a through f ((;)) and h ((, i, and j)) through k pursuant to subsection ((23.44.041.B.3)) 23.44.041.C.2, for converting existing accessory structures to a detached accessory dwelling unit, including additions to an existing accessory structure.

<sup>2</sup> The Director may allow an exception to standards ~~e, i,~~ and j if the exception allows for the preservation of an exceptional tree or a tree over 2 feet in diameter measured 4.5 feet above the ground.

~~((2))~~ <sup>3</sup> For lots that do not meet the lot depth requirement ((;)) but have a greater width than depth and an area greater than 5,000 square feet, a detached accessory dwelling unit is permitted, provided the detached accessory dwelling unit is not located in a required yard.

~~((<sup>3</sup>The exceptions from standard yard requirements in subsection 23.44.014.C.6.a shall also apply.))~~

<sup>4</sup> External architectural details with no living area, such as chimneys, eaves, cornices, and columns, may project no closer than 3 feet from any lot line. Bay windows are limited to 8 feet in width and may project no closer than 3 feet from any lot line. Other projections that include interior space, such as garden windows, must start a minimum of 30 inches above the finished floor, have a maximum dimension of 6 feet in height and 8 feet in width, and project no closer than 3 feet from any lot line.

~~((4))~~ <sup>5</sup> If the lot line is adjacent to an alley and a detached accessory dwelling unit includes a garage with a vehicle entrance that faces the alley, the garage portion of the structure may not be located within 12 feet of the centerline of the alley.

~~((5))~~ <sup>6</sup> On a reversed corner lot, no detached accessory dwelling unit shall be located in that portion of the required rear yard that abuts the required front yard of the adjoining key lot.

~~((6))~~ <sup>7</sup> Features such as chimneys, antennas, and flagpoles may extend up to 4 feet above the maximum allowed height.

~~((<sup>7</sup>Detached accessory dwelling units on lots that have a width greater than 40 feet up to 50 feet may be built to the maximum height limit applicable in the column for lots greater than 50 feet when the detached accessory dwelling unit is located on a lot with a rear lot line that is adjacent to an alley.))~~

<sup>8</sup> Projections that accommodate windows and result in additional interior space, including dormers, clerestories, and skylights, may extend no higher than the ridge of a pitched roof permitted pursuant to row k if all ~~((ef))~~ conditions of subsection 23.44.012.C.3 are satisfied.


<sup>9</sup> Any structure with a green roof or other features necessary to meet a green building standard, as defined by the Director by rule, may extend up to 2 feet above the maximum allowed height.

<sup>10</sup> Open railings that accommodate roof decks may extend 4 feet above the base structure height limit.

**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~DSD6~~

1 **Exhibit A for 23.44.041**  
2 **Additional roof pitch height and base height limit**



**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~D5D6~~

1                   2.       Conversion of accessory structures. An existing accessory structure that is  
2 not located in a required front yard, or that is located in a front yard where Section 23.40.030 or  
3 23.40.035 applies, may be converted into a detached accessory dwelling unit if the structure  
4 complies with the minimum standards set forth in Sections 22.206.010 through 22.206.140 of the  
5 Housing and Building Maintenance Code and with the Seattle Residential Code, if work  
6 requiring a permit is performed on the structure or has previously been performed without a  
7 permit. ~~((The))~~ To allow the conversion of an existing accessory structure, the Director may  
8 allow an exception to one or more of the development standards for accessory dwelling units  
9 contained in ~~((subsection 23.44.041.A.5 and))~~ standards a through f, and h ~~((, i and j))~~ through k,  
10 listed in Table ~~((B))~~ A for 23.44.041, provided the conversion does not increase the structure’s  
11 nonconformity with the standard. ~~((and))~~ An existing accessory structure may be converted if the  
12 applicant can demonstrate that the accessory structure ~~((was constructed))~~ existed prior to ~~((June~~  
13 ~~1, 1999))~~ December 31, 2017, as an accessory structure. If an accessory structure ~~((constructed))~~  
14 existing prior to ~~((June 1, 1999))~~ December 31, 2017, was replaced to the same configuration in  
15 accordance with the standards of Section 23.42.112, then the replacement structure also qualifies  
16 for conversion under this subsection 23.44.041.C.2. For purposes of this subsection  
17 23.44.041.C.2, the term “conversion” means either keeping the accessory structure intact or  
18 removing and rebuilding the accessory structure, provided that any expansion or relocation of the  
19 accessory structure complies with the development standards for detached accessory dwelling  
20 units.

21                   ~~((C. — Owner occupancy~~

**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~D5D6~~

1                   1. ~~Requirement. An owner with at least a 50 percent interest in the property~~  
2 ~~must occupy either the principal dwelling unit or the accessory dwelling unit for six or more~~  
3 ~~months of each calendar year as the owner's permanent residence. The Director may waive this~~  
4 ~~requirement for up to three years if a letter is submitted that provides evidence to the Director~~  
5 ~~showing good cause why the requirement for owner occupancy should be waived. Good cause~~  
6 ~~may include job dislocation, sabbatical leave, education, or illness.~~

7                   2. ~~Violation. If an owner is unable or unwilling to fulfill the requirements of~~  
8 ~~subsection 23.44.041.C.1, the owner shall remove those features of the accessory dwelling unit~~  
9 ~~that make it a dwelling unit. Failure to do so will constitute a violation of this Title 23 and the~~  
10 ~~owner will be subject to penalties pursuant to Sections 23.90.018, 23.90.019 and 23.90.020.~~

11                   3. ~~Covenant recording. Prior to issuance of a permit establishing an~~  
12 ~~accessory dwelling unit, the owner(s) shall sign under oath and record in the King County~~  
13 ~~Recorder a covenant by the owner(s) to the City of Seattle stating that the owner(s) agree to~~  
14 ~~restrict use of the principal and accessory dwelling units in compliance with the requirements of~~  
15 ~~this subsection 23.44.041.C and notify all prospective purchasers of those requirements. Falsely~~  
16 ~~certifying to the terms of the covenant or failure to comply with the terms of the covenant is~~  
17 ~~subject to penalties pursuant to Sections 23.90.018, 23.90.019 and 23.90.020.~~

18                   ~~The covenant shall run with the land and be binding upon the property owner,~~  
19 ~~his/her heirs and assigns, and upon any parties subsequently acquiring any right, title or interest~~  
20 ~~in the property. The covenant shall be in a form prescribed by the Director that includes the legal~~  
21 ~~description of the principal use lot. The property owner(s) shall return the original covenant with~~

**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~D5D6~~

1 ~~recording stamp to the Department before the building permit for the accessory dwelling unit is~~  
2 ~~issued.~~

3 ~~4. — Covenant release. At the request of a property owner and after an~~  
4 ~~inspection finding that an accessory dwelling unit has been removed from the owner's property,~~  
5 ~~the Department shall record a release of any previously recorded covenant for that accessory~~  
6 ~~dwelling unit.))~~

7 D. Single-family status unaffected. A single-family lot with any number of accessory  
8 dwelling units shall be considered a single-family ((~~residence~~)) dwelling unit for purposes of  
9 rezone criteria (Section 23.34.011).

10 Section 6. Section 23.45.545 of the Seattle Municipal Code, last amended by Ordinance  
11 125791, is amended as follows:

12 **23.45.545 Standards for certain accessory uses**

13 \*\*\*

14 I. In LR zones, accessory dwelling units are allowed((;)) in single-family, rowhouse and  
15 townhouse units, as follows:

16 1. One accessory dwelling unit is allowed for each single-family, rowhouse, or  
17 townhouse unit that is a "principal unit."~~(;)~~ A "principal unit" is a dwelling unit that is not an  
18 accessory dwelling unit.

19 2. ~~((The owner of a principal unit shall comply with the owner occupancy~~  
20 ~~requirements of subsection 23.44.041.C.~~

21 ~~3.))~~2. The height limit for a detached accessory dwelling unit is 20 feet, except  
22 that the ridge of a pitched roof on a detached accessory dwelling unit may extend up to 3 feet

**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~DSD6~~

1 above the 20-foot height limit. All parts of the roof above the height limit shall be pitched at a  
2 rate of not less than 4:12. No portion of a shed roof is permitted to extend beyond the 20-foot  
3 height limit.

4 ((4))3. The maximum gross floor area of an accessory dwelling unit is 650 square  
5 feet, provided that the total gross floor area of the accessory dwelling unit does not exceed 40  
6 percent of the total gross floor area in residential use on the lot or unit lot, if present, exclusive of  
7 garages, storage sheds, and other non-habitable spaces.

8 ((5))4. An accessory dwelling unit shall be located completely within the same  
9 structure as the principal unit or in an accessory structure located between the single-family,  
10 rowhouse, or townhouse unit and the rear lot line.

11 ((6))5. The entrance to an accessory dwelling unit provided within the same  
12 structure as the principal unit shall be provided through one of the following configurations:

- 13 a. Through the primary entry to the principal unit; or  
14 b. Through a secondary entry on a different facade than the primary entry  
15 to the principal unit; or  
16 c. Through a secondary entry on the same facade as the primary entry to  
17 the principal unit that is smaller and less visually prominent than the entry to the principal unit,  
18 and does not have a prominent stoop, porch, portico or other entry feature.

19 ((7))6. Exterior stairs. Exterior stairs providing access to an accessory dwelling  
20 unit may not exceed 4 feet in height, except for exterior stairs providing access to an accessory  
21 dwelling unit located above a garage.

22 ((8))7. Parking. Parking is not required for an accessory dwelling unit.

**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~DSD6~~

1 ((9))§. In the Shoreline District, accessory dwelling units in single-family,  
2 rowhouse, and townhouse units shall be as provided in Chapter 23.60A, and where allowed in  
3 the Shoreline District, ~~((they))~~ are also subject to the provisions in this subsection 23.45.545.I.

4 J. Urban farms are subject to the standards in Section 23.42.051 and the conditional use  
5 requirement in subsection 23.45.504.C.8.

6 Section 7. Section 23.84A.002 of the Seattle Municipal Code, last amended by Ordinance  
7 125791, is amended as follows:

8 **23.84A.002 “A”**

9 \* \* \*

10 “Atrium, shopping.” See “Shopping atrium.”

11 “Attached accessory dwelling unit.” See “Residential use.”

12 “Automobile wrecking yard.” See “Solid waste management, Salvage yard,” under  
13 “Utility.”

14 \* \* \*

15 Section 8. Section 23.84A.032 of the Seattle Municipal Code, last amended by Ordinance  
16 125603, is amended as follows:

17 **23.84A.032 “R”**

18 \* \* \*

19 “Residential use” means any one or more of the following:

- 20 1. “Accessory dwelling unit” means one or more rooms that:

**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~D5D6~~

1 a. ~~((are))~~ Are located within ~~((an owner occupied))~~ a principal ~~single-~~  
2 ~~family~~ dwelling unit ~~((;))~~ or within an accessory structure on the same lot as ~~((an owner-~~  
3 ~~occupied))~~ a principal ~~single family~~ dwelling unit;

4 b. ~~((meet))~~ Meet the standards of Section 23.44.041, ~~((or))~~ Section  
5 23.45.545, or Chapter 23.47A, as applicable;

6 c. ~~((are))~~ Are designed, arranged, and intended to be occupied by not  
7 more than one household as living accommodations independent from any other household; and

8 d. ~~((are))~~ Are so occupied or vacant.

9 2. “Attached accessory dwelling unit” means an accessory dwelling unit that  
10 is within a principal ~~single family~~ dwelling unit.

11 ~~((2))~~ 3. “Adult family home” means an adult family home defined and  
12 licensed as such by ~~((The))~~ the State of Washington in a dwelling unit.

13 ~~((3))~~ 4. “Apartment” means a multifamily residential use that is not a  
14 cottage housing development, rowhouse development, or townhouse development.

15 ~~((4))~~ 5. “Artist’s studio/dwelling” means a combination working studio  
16 and dwelling unit for artists, consisting of a room or suite of rooms occupied by not more than  
17 one household.

18 ~~((5))~~ 6. “Assisted living facility” means a use licensed by ~~((The))~~ the State  
19 of Washington as a boarding home pursuant to RCW Chapter 18.20~~((;))~~ that contains at least two  
20 assisted living units for people who have either a need for assistance with activities of daily  
21 living (which are defined as eating, toileting, ambulation, transfer ~~((f))~~ (e.g., moving from bed to



**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~D5D6~~

1 chair or chair to bath), ((7)) and bathing) or some form of cognitive impairment but who do not  
2 need the skilled critical care provided by nursing homes. See “Assisted living unit.”

3 ((6)) 7. “Carriage house” means a dwelling unit in a carriage house  
4 structure.

5 ((7)) 8. “Carriage house structure” means a structure within a cottage  
6 housing development, in which one or more dwelling units are located on the story above an  
7 enclosed parking garage at ground level that either abuts an alley and has vehicle access from  
8 that alley, or is located on a corner lot and has access to the parking in the structure from a  
9 driveway that abuts and runs parallel to the rear lot line of the lot. See also “Carriage house.”

10 ((8)) 9. “Caretaker’s quarters” means a use accessory to a non-residential  
11 use consisting of a dwelling unit not exceeding 800 square feet of living area and occupied by a  
12 caretaker or watchperson.

13 ((9)) 10. “Congregate residence” means a use in which rooms or lodging,  
14 with or without meals, are provided for nine or more non-transient persons not constituting a  
15 single household, excluding single-family dwelling units for which special or reasonable  
16 accommodation has been granted.

17 ((10)) 11. “Cottage housing development” means a use consisting of cottages  
18 arranged on at least two sides of a common open space or a common amenity area. A cottage  
19 housing development may include a carriage house structure. See “Cottage,” “Carriage house,”  
20 and “Carriage house structure.”

21 ((11)) 12. “Detached accessory dwelling unit” means an accessory dwelling  
22 unit in an accessory structure.

**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~D5D6~~

1                    ((12)) 13.       “Domestic violence shelter” means a dwelling unit managed by a  
2 nonprofit organization, which unit provides housing at a confidential location and support  
3 services for victims of domestic violence.

4                    ((13)) 14.       “Floating home” means a dwelling unit constructed on a float that  
5 is moored, anchored, or otherwise secured in the water.

6                    ((14)) 15.       “Mobile home park” means a tract of land that is rented for the use  
7 of more than one mobile home occupied as a dwelling unit.

8                    ((15)) 16.       “Multifamily residential use” means a use consisting of two or  
9 more dwelling units in a structure or portion of a structure, excluding accessory dwelling units.

10                   ((16)) 17.       “Multifamily residential use, low-income disabled” means a  
11 multifamily residential use in which at least 90 percent of the dwelling units are occupied by one  
12 or more persons who have a handicap as defined in the Federal Fair Housing Amendments Act  
13 and who constitute a low-income household.

14                   ((17)) 18.       “Multifamily residential use, low-income elderly” means a  
15 residential use in which at least 90 percent of the dwelling units are occupied by one or more  
16 persons 62 or more years of age who constitute a low-income household.

17                   ((18)) 19.       “Multifamily residential use, low-income elderly/low-income  
18 disabled” means a multifamily residential use in which at least 90 percent of the dwelling units  
19 (not including vacant units) are occupied by a low-income household that includes a person who  
20 has a handicap as defined in the Federal Fair Housing Amendment Act or a person 62 years of  
21 age or older, as long as the housing qualifies for exemptions from prohibitions against

**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~DSD6~~

1 discrimination against families with children and against age discrimination under all applicable  
2 fair housing laws and ordinances.

3           ~~((19))~~ 20.       “Nursing home” means a use licensed by ~~((The))~~the State of  
4 Washington as a nursing home, which provides full-time convalescent and/or chronic care for  
5 individuals who, by reason of chronic illness or infirmity, are unable to care for themselves, but  
6 that does not provide care for the acutely ill or surgical or obstetrical services. This definition  
7 excludes hospitals or sanitariums.

8           ~~((20))~~ 21.       “Rowhouse development” means a multifamily residential use in  
9 which all principal dwelling units on the lot meet the following conditions:

10                   a.       ~~((each))~~ Each dwelling unit occupies the space from the ground to  
11 the roof of the structure in which it is located;

12                   b.       ~~((no))~~ No portion of a dwelling unit, except for an accessory  
13 dwelling unit or shared parking garage, occupies space above or below another dwelling unit;

14                   c.       ~~((each))~~ Each dwelling unit is attached along at least one common  
15 wall to at least one other dwelling unit, with habitable interior space on both sides of the  
16 common wall, or abuts another dwelling unit on a common lot line;

17                   d.       ~~((the))~~ The front of each dwelling unit faces a street lot line;

18                   e.       ~~((each))~~ Each dwelling unit provides pedestrian access directly to  
19 the street that it faces; and

20                   f.       ~~((no))~~ No portion of any other dwelling unit, except for an attached  
21 accessory dwelling unit, is located between any dwelling unit and the street faced by the front of  
22 that unit.





**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~DSD6~~

1 subsection 23.86.007.D.3, excluding openings required by the Building Code for egress. (See  
2 Exhibit B for 23.86.007.)

3 \* \* \*

4 Section 11. The Seattle Department of Construction and Inspections (SDCI) shall report  
5 annually for five years after implementation to the Planning, Land Use and Zoning Committee,  
6 or its successor committee, on ~~Citywide-citywide~~ accessory dwelling unit permit activity. The  
7 report shall be delivered to the City Council by no later than June 30 of the following calendar  
8 year, with the first report due on June 30, 2021, and the final report due on June 30, 2025. This  
9 annual report shall include detailed information on all attached and detached accessory dwelling  
10 unit (ADU) permits issued and all permits finalized, including:

11 A. The number of permits issued to construct ADUs and the number of permits  
12 finalized over the previous five-year period. This should include the number of permits issued and  
13 finalized for a second ADU and details on whether the second ADU was constructed in a new  
14 structure or through conversion of or an addition to an existing structure;

15 B. The number of permits issued for ADUs that were associated with the  
16 redevelopment of a single-family lot that included demolition of a principal single-family  
17 dwelling unit;

18 C. A map that shows the location and dispersion of both attached and detached  
19 accessory dwelling units, including the number and location of lots that have two ADUs; ~~and~~

20 D. For each detached accessory dwelling unit permit issued, the report shall state the  
21 height, gross floor area, total square footage of the lot where the detached accessory dwelling  
22 unit is located, and total lot coverage of all structures on the lot;

**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~DSD6~~

1 E. Information on the number of short-term rental operator licenses issued by the  
2 Department of Finance and ~~Administration~~ Administrative Services (FAS) that authorizes short-  
3 term rental use in an ADU. In addition, the City Council requests that SDCI work with FAS to  
4 develop this information and identify recommendations, as appropriate, for modifications to the  
5 regulations governing short-term rental use ~~;~~ and

6 F. The number of ADU permits that have included the addition of new off-street  
7 parking spaces. In addition, SDCI shall report on ~~parking~~ parking-related impacts, if any, that  
8 have been identified by the City ~~that areas~~ a result of new ADUs in an area. This should include  
9 a recommendation on any modifications the City Council should consider to the off-street  
10 parking requirements for accessory dwelling units, including geographic specific  
11 recommendations.

12 G. By July 1, 2022, SDCI and the Office of Planning ~~&~~ and Community  
13 Development (OPCD) shall conduct a voluntary survey of ADU owners and occupants to collect  
14 descriptive statistics of owners and occupants of ADUs. This shall include information on the  
15 use, size, financing, rent charged, ownership, design, and construction of ADUs built in Seattle,  
16 and general demographic information of ADU owners and occupants. Any information collected  
17 must be in compliance with applicable legal limitations. ~~The~~ OPCD and SDCI shall provide a  
18 report to the Planning, Land Use and Zoning Committee, or its successor committee, on the  
19 survey results. In addition, OPCD and SDCI shall report on challenges to constructing ADUs  
20 identified through the survey results and recommend changes to address identified challenges.

21 Section 12. The City Council requests that the Seattle Department of Construction and  
22 Inspections develop a process to ensure that ~~property owners are provided educational~~

**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~DSD6~~

1 ~~materials~~ at the time a permit to construct an accessory dwelling unit is issued, property owners  
2 are provided educational materials about becoming a landlord, including applicable state and  
3 local laws= about landlords obligations and the rights of renters. In addition, SDCI shall notify  
4 those property owners of any available trainings for landlords.

5 Section 13. The City Council requests that the Seattle Department of Construction and  
6 Inspections (SDCI) develop~~s~~ an amnesty program for accessory dwelling units that were  
7 constructed without permits. The program shall permit owners of accessory dwelling units  
8 constructed without a permit to come forward during a certain time period and legalize their  
9 units without penalty. SDCI shall develop standards that will not discourage owners from  
10 seeking legalization of the units voluntarily, including identifying the potential for flexibility  
11 from Land Use Code and Building Code standards that would simplify and reduce the cost of  
12 legalizing these units while ensuring that the accessory dwelling units are safe and habitable.

13 Section 14. The City Council requests that the Office of Housing (OH) reports to the  
14 Council by September 1, 2020, on the outcomes and lessons learned from the pilot program that  
15 authorizes loans to low-income homeowners who want to create additional habitable space ~~on~~  
16 ~~their property~~ or an accessory dwelling unit on their property. In addition, OH shall provide  
17 recommendations on the potential for expanding this program, or creating a new program, to  
18 offer financial support to any homeowner who enters into an agreement to offer the ADU as a  
19 rent- and income-restricted unit.

20 Section 15. Section~~s~~ 1 of this ordinance shall take effect and be in force ~~180 days after its~~  
21 ~~approval by the Mayor, but if not approved and returned by the Mayor within ten days after~~  
22 ~~presentation, it shall take effect~~ on March 1, 2020.



**Full Council Amendment 1 (substitute) to CB 119544  
July 1, 2019**

Aly Pennucci  
LEG Accessory Dwelling Units ORD  
~~DSD6~~

1 Section 16. This ordinance shall take effect and be in force 30 days after its approval by  
2 the Mayor, but if not approved and returned by the Mayor within ten days after presentation, it  
3 shall take effect as provided by Seattle Municipal Code Section 1.04.020.

4 Passed by the City Council the \_\_\_\_\_ day of \_\_\_\_\_, 2019,  
5 and signed by me in open session in authentication of its passage this \_\_\_\_\_ day of  
6 \_\_\_\_\_, 2019.

7 \_\_\_\_\_  
8 President \_\_\_\_\_ of the City Council

9 Approved by me this \_\_\_\_\_ day of \_\_\_\_\_, 2019.

10 \_\_\_\_\_  
11 Jenny A. Durkan, Mayor

12 Filed by me this \_\_\_\_\_ day of \_\_\_\_\_, 2019.

13 \_\_\_\_\_  
14 Monica Martinez Simmons, City Clerk

15 (Seal)