



Legislation Details (With Text)

File #: CB 119142 **Version:** 1 **Name:** CB 119142
Type: Ordinance (Ord) **Status:** Passed
In control: City Clerk

On agenda: 12/4/2017
Final Action: 12/8/2017 **Ord. No.** Ord 125485

Title: AN ORDINANCE relating to Seattle Public Utilities; amending provisions related to adjustments to the wastewater volume charge due to water leaks; and amending Section 21.28.100 of the Seattle Municipal Code.

Sponsors: Lisa Herbold

Indexes:

Attachments: 1. Summary and Fiscal Note, 2. Presentation, 3. Signed Ord_125485, 4. Affidavit of Publication

Date	Ver.	Action By	Action	Result
12/8/2017	1	City Clerk	attested by City Clerk	
12/8/2017	1	Mayor	returned	
12/8/2017	1	Mayor	Signed	
12/6/2017	1	City Clerk	submitted for Mayor's signature	
12/4/2017	1	City Council	passed	Pass
11/28/2017	1	Civil Rights, Utilities, Economic Development, and Arts Committee	pass	Pass
11/20/2017	1	City Council	referred	
11/8/2017	1	Council President's Office	sent for review	
9/26/2017	1	City Clerk	sent for review	
9/26/2017	1	Mayor	Mayor's leg transmitted to Council	

CITY OF SEATTLE

ORDINANCE _____

COUNCIL BILL _____

AN ORDINANCE relating to Seattle Public Utilities; amending provisions related to adjustments to the wastewater volume charge due to water leaks; and amending Section 21.28.100 of the Seattle Municipal Code.

WHEREAS, Seattle Municipal Code subsection 21.28.100.A allows customers to request adjustments to the wastewater volume charge on their sewer bills if they show evidence of a hidden or underground water leak only; and

WHEREAS, based on customer feedback and the City's affordability agenda, Seattle Public Utilities reviewed its billing adjustment policy for residential wastewater customers regarding types of water leaks that are not hidden or underground and do not result in discharge into the sewer system, but are not allowed a billing adjustment to the wastewater volume charge; and

WHEREAS, Seattle Public Utilities recommends amending subsection 21.28.100.A to remove the qualification that a water leak be hidden or underground to allow residential customers to qualify for an adjustment to the wastewater volume charge; NOW, THEREFORE,

BE IT ORDAINED BY THE CITY OF SEATTLE AS FOLLOWS:

Section 1. Section 21.28.100 of the Seattle Municipal Code, last amended by Ordinance 118396, is amended as follows:

21.28.100 Adjustments to wastewater volume charge ((-))

A. Upon receipt of satisfactory evidence of ~~((hidden or underground))~~ water leakage that does not enter the wastewater system, the Director of Seattle Public Utilities ~~((shall))~~ may adjust the wastewater volume charge to the premises ~~((for water so lost))~~ and may not use the period during which ~~((such))~~ the water leakage occurs in computing the average winter water consumption when to do so would result in a higher wastewater charge to such premises, provided that no such adjustment shall be made for leakage occurring more than four ~~((4))~~ months prior to the date of application therefor. The General Manager and Chief Executive Officer of Seattle Public Utilities is authorized to promulgate rules in accordance with Chapter 3.02 to establish policies for the eligibility and calculation of the adjustments to the wastewater volume charge due to water leaks under this subsection 21.28.100.A.

* * *

Section 2. This ordinance shall take effect and be in force 30 days after its approval by the Mayor, but if not approved and returned by the Mayor within ten days after presentation, it shall take effect as provided by Seattle Municipal Code Section 1.04.020.

Passed by the City Council the _____ day of _____, 2017, and signed by
me in open session in authentication of its passage this _____ day of _____, 2017.

President _____ of the City Council

Approved by me this _____ day of _____, 2017.

Jenny A. Durkan, Mayor

Filed by me this _____ day of _____, 2017.

Monica Martinez Simmons, City Clerk

(Seal)