



Legislation Details (With Text)

File #:	CB 120024	Version:	3	Name:	CB 120024
Type:	Ordinance (Ord)	Status:	Passed	In control:	City Clerk
On agenda:	4/19/2021				
Final Action:	4/23/2021	Ord. No.	Ord 126311		
Title:	AN ORDINANCE relating to surveillance technology implementation; authorizing approval of uses and accepting the surveillance impact report for the Seattle Police Department's use of 911 Logging Recorder technology.				
Sponsors:	Alex Pedersen				
Indexes:					
Attachments:	1. Att 1 - 911 Logging Recorder SIR, 2. Att 2 – 911 Logging Recorder Executive Overview, 3. Summary and Fiscal Note, 4. Central Staff Memo, 5. Proposed Amendment 1 (4/7/21), 6. Proposed Amendment 1 (4/19/21), 7. Signed Ordinance 126311, 8. Affidavit of Publication				

Date	Ver.	Action By	Action	Result
4/23/2021	3	City Clerk	attested by City Clerk	
4/23/2021	3	Mayor	returned	
4/23/2021	3	Mayor	Signed	
4/23/2021	3	City Clerk	submitted for Mayor's signature	
4/19/2021	2	City Council	passed as amended	Pass
4/7/2021	1	Transportation and Utilities Committee	pass as amended	Pass
4/5/2021	1	City Council	referred	
3/31/2021	1	Council President's Office	sent for review	
3/30/2021	1	City Clerk	sent for review	

CITY OF SEATTLE

ORDINANCE _____

COUNCIL BILL _____

AN ORDINANCE relating to surveillance technology implementation; authorizing approval of uses and accepting the surveillance impact report for the Seattle Police Department's use of 911 Logging Recorder technology.

WHEREAS, Ordinance 125376 requires Council approval of surveillance impact reports (SIRs) related to approval of uses for certain technology, with existing/retroactive technology to be placed on a Master Technology List; and

WHEREAS, the ordinance provisions apply to the 911 Logging Recorder technology in use by the Seattle Police Department (SPD); and

WHEREAS, SPD conducted policy rule review and community review as part of the development of the SIR; and

WHEREAS, Seattle Municipal Code Section 14.18.080, enacted by Ordinance 125679, also requires review of the SIR by a Community Surveillance Working Group composed of relevant stakeholders and a statement from the Chief Technology Officer in response to the Working Group's recommendations; and

WHEREAS, development of the SIR and review by the Working Group have been completed; and

WHEREAS, Ordinance 126233 created a new Community Safety and Communications Center to include, effective the earlier of June 1, 2021 or 30 days after the Executive receives the Originating Agency Identifier (ORI), the 9-1-1 dispatch center currently housed within SPD and the SIR will need to be updated to reflect the new organizational structure;

NOW, THEREFORE,

BE IT ORDAINED BY THE CITY OF SEATTLE AS FOLLOWS:

Section 1. Pursuant to Ordinances 125376 and 125679, the City Council approves use of the 911 Logging Recorder technology and accepts the Surveillance Impact Report (SIR), for this technology, attached to this ordinance as Attachment 1 and the Executive Overview, for the same technology, attached to this ordinance as Attachment 2.

Section 2. The Council requests the Seattle Police Department to report no later than the end of the third quarter of 2021 on the metrics provided to the Chief Technology Officer for use in the annual equity assessments of the 911 Logging Recorder technology.

Section 3. This ordinance shall take effect and be in force 30 days after its approval by the Mayor, but if

not approved and returned by the Mayor within ten days after presentation, it shall take effect as provided by Seattle Municipal Code Section 1.04.020.

Passed by the City Council the _____ day of _____, 2021, and signed by me in open session in authentication of its passage this _____ day of _____, 2021.

President _____ of the City Council

Approved / returned unsigned / vetoed this _____ day of _____, 2021.

Jenny A. Durkan, Mayor

Filed by me this _____ day of _____, 2021.

Monica Martinez Simmons, City Clerk

(Seal)

Attachments:

Attachment 1 - 911 Logging Recorder SIR

Attachment 2 - 911 Logging Recorder Executive Overview