

Exhibit A
Areas being Rezoned
MHA Implementation in
Downtown and South Lake Union
V2

#	Rezone from:	Rezone to:
1	SM-SLU 85/65-125	SM-SLU 100/65-145
2	SM-85	SM-SLU 100/95
3	SM-125	SM-SLU 145
4	SM-SLU 160/85-240	SM-SLU 175/85-280
5	SM-SLU 85-240	SM-SLU 85-280
6	SM-SLU/R 55/85	SM-SLU/R 65/95
7	SM-SLU 240/125-400	SM-SLU 240/125-440
8	DH2/65	DH2/75
9	DMC-65	DMC-75
10	DMC-85	DMC-95
11	DMC-125	DMC-145
12	DMC-160	DMC-170
13	DMC 240/290-400	DMC 240/290-440
14	DMC 340/290-400	DMC 340/290-440
15	DMR/C 85/65	DMR/C 95/75
16	DMR/C 125/65	DMR/C 145/65
17	DMR/C 240/125	DMR/C 280/125
18	DMR/R 85/65	DMR/R 95/65
19	DMR/R 125/65	DMR/R 145/65
20	DMR/R 240/65	DMR/R 280/65
21	DOC1 U/450/U	DOC1 U/450-U
22	DOC2 500/300-500	DOC2 500/300-550
23	DRC 85-150	DRC 85-170
24	IC 85-160	IC 85-175

 Rezone Area



No warranties of any sort, including accuracy, fitness, or merchantability accompany this product. Copyright 2017. All Rights Reserved.
 City of Seattle, City Council. 03/06/2017
 Data source: City of Seattle

