

1200 Stewart Street

Alley Vacation | Public Benefit Package

## TABLE OF CONTENTS

Site Context Plan	4
1200 Stewart Proposed Site Plan	
Aerial Comparison	6-
Public Benefits Summary Plans	8-9
Public Benefits Quantifications	10-1
Landscape Areas Comparison Diagram	1.
Hardscape Areas Comparison Diagram	1.
Sidewalk Widths Comparison Diagram	1
Additional Features Comparison Diagram	1.
Denny Way and Yale Avenue Streetscape	16-19
Minor Avenue and Stewart Street Streetscape	20-2





















2017 PROPOSAL - ISOMETRIC VIEW FROM INTERSECTION OF STEWART ST & YALE AVE





PUBLIC BENEFITS SUMMARY - SITE PLAN (2010 PROPOSAL)







## 1200 Stewart Landscape Concept

The Landscape Design at 1200 Stewart creates a contemporary, high quality public realm gateway to the Denny Triangle Neighborhood. The landscape is comprised of granite, basalt and concrete unit paving, underlit seat walls, strong rows of street trees with graphic plant massings in the boulevards, and custom designed bus shelters.

Denny Way is emphasized with new Zelkova trees underplanted with a continuous linear massing of Redtwig Dogwood and ornamental grasses. Special stone paving highlights the corners of Yale and Virginia. Along Stewart, two new oaks supplement the existing street trees, and the urban grid of Denny Triangle is abstracted in patterned sandblasted concrete surrounding the two custom bus shelters. This same pattern is repeated on the bench tops along Denny. The pedestrian island at Stewart and Denny features unit paving, a custom designed bus shelter, wood topped seating, a new conifer tree and a lush garden with a stone pathway passing through it. Along Minor Avenue are new Oak Trees with underplanted massings of ornamental grasses. Cast in Place concrete with graphic stone banding emphasizes the Retail at the corner of Stewart and Minor. A midblock 'carpet' of white granite spans between buildings from curb to curb from Denny to Stewart, highlighting the atrium as a major public indoor/outdoor space.

## Public Benefits Exceeding 2010 Proposal

- Increased sidewalk widths
- Elimination of 2 curb cuts, one on Stewart St. & one on Minor Ave.
- Reduced Yale Ave. pedestrian crossing length
- Increased retail frontage along sidewalks
- Elimination of auto court at ground level
- Current position of the alley has been designed as an extension of the sidewalk, providing a connection between Denny Way & Stewart St.
- Founding partner in Westlake Microparks through funding of \$200,000
- Enhanced bus stops and shelters with wayfinding signage and seating
- Interpetive benches and paving on Denny Way and Stewart St. representing the pattern of Denny Triangle



Public	Ι	Existing	City Required		Proposed (2010)			
Benefits	Description	Quantity	Quantity	Proposed (2010)	recalculated by PFS *B	Proposed (2017)	Exceeds (2017)	Comments
#1	Denny Way							*A - Exceeded value based on
	Landscaping				942 sf *B	2,100 sf	1,158 sf *A	recalculation by PFS. 2017 version has
	Decorative Pavers				1,508 sf *B	1,774 sf	266 sf *A	more planting and decorative paving
	Regular Hardscape				3,661 sf *B	1,944 sf		than the 2010 version, therefore less
								regular hardscape.
#2	Yale Avenue							*B - 2010 proposed area calculations do
	Landscaping				757 sf *B	940 sf	183 sf *A	not match PFS's calculations of 2010
	Decorative Pavers				2,097 sf *B	2,208 sf	111 sf *A	proposed areas: see Public Benefit
	Regular Hardscape				0 sf *B	0 sf		Comparison Diagram (pg. 12 & 13)
#3	Stewart Street							
	Landscaping				585 sf *B	413 sf		2017 version has less landscaping due to
	Decorative Pavers				862 sf *B	2,619 sf	1,757 sf *A	the requirement for extended bus
	Regular Hardscape				3,176 sf *B	2,378 sf		loading zones.
#4	Minor Avenue							-
	Landscaping	-	-		1,371 sf *B	1,523 sf	152 sf *A	-
	Decorative Pavers	1	1		792 sf *B	1,303 sf	511 sf *A	-
	Regular Hardscape	<del> </del>	1		2,323 sf *B	3,493 sf	1,170 sf *A	-
		07 -f	1 602	F 007 -f	2 (55 -4 *2	4.07C -f	4 224 : 5 * 4	
	Total Descriptive Reverse	+	1,602 sf	5,987 sf	3,655 sf *B 5,259 sf *B	4,976 sf 7,904 sf	1,321 sf *A 2,645 sf *A	1
	Total Decorative Pavers		0 sf	1,010 sf	9,160 sf *B	7,904 st 7,815 sf	2,045 ST "A	1
	Total Regular Hardscape Total Hardscape	1	+		14,419 sf *B	15,719 sf	1,300 sf *A	1
	Total Area Between Building and Curb	+			21,769 sf *B	22,000 sf	231 sf *A	
#5	Street Amenities				21,70931 B	22,000 31	23131 A	
#5	Street Trees	5	23	23		23	Same	
	Street frees	3	23	23		23	Same	-
	Sidewalk Widths	Varies (11' to 15')	18' on Stewart, 12' on Denny, Minor, Yale	Varies (13' to 18.5')		Varies (16' - 22' 7")	Wider	
I			ivillior, raie					
	Interpretive Paving	0 sf	0 sf	0 sf		1151 sf	New Addition	
		0 sf 1 Metro						
	Interpretive Paving New Enhanced Bus Shelters		0 sf	0 sf 1 Enhanced Structure		1151 sf 3 Enhanced Structures	New Addition 2	
		1 Metro	0 sf 1 Metro Standard	1 Enhanced Structure				Three wayfinding signs incorporated with new enhanced bus shelters
	New Enhanced Bus Shelters	1 Metro Standard	0 sf 1 Metro Standard	1 Enhanced Structure		3 Enhanced Structures		
	New Enhanced Bus Shelters Pedestrian Wayfinding Signage	1 Metro Standard	0 sf 1 Metro Standard 0	1 Enhanced Structure		3 Enhanced Structures		with new enhanced bus shelters Lean bars substituted with 3 new
	New Enhanced Bus Shelters  Pedestrian Wayfinding Signage  Bus Stop Lean Bars on Stewart	1 Metro Standard 0	0 sf 1 Metro Standard 0	1 Enhanced Structure  3  8  160 If		3 Enhanced Structures 3	2	with new enhanced bus shelters  Lean bars substituted with 3 new enhanced bus shelters  Seating quantity includes interpretive benches on Denny Way (138 lf) and
	New Enhanced Bus Shelters  Pedestrian Wayfinding Signage  Bus Stop Lean Bars on Stewart  Decorative Seating on Denny / Seat Walls	1 Metro Standard 0 0	0 sf 1 Metro Standard 0	1 Enhanced Structure  3  8  160 If		3 Enhanced Structures  3  0  183 If  200 If 51 If	2 17 If	with new enhanced bus shelters  Lean bars substituted with 3 new enhanced bus shelters  Seating quantity includes interpretive benches on Denny Way (138 lf) and
	New Enhanced Bus Shelters  Pedestrian Wayfinding Signage  Bus Stop Lean Bars on Stewart  Decorative Seating on Denny / Seat Walls  Benches-LED Underlighting	1 Metro Standard 0 0	0 sf 1 Metro Standard 0 0	1 Enhanced Structure  3  8  160 If		3 Enhanced Structures  3 0 183 If 200 If	17 If New Addition	with new enhanced bus shelters  Lean bars substituted with 3 new enhanced bus shelters  Seating quantity includes interpretive benches on Denny Way (138 lf) and
	New Enhanced Bus Shelters  Pedestrian Wayfinding Signage  Bus Stop Lean Bars on Stewart  Decorative Seating on Denny / Seat Walls  Benches-LED Underlighting  In-Ground Lighting at Galleria Entrances	1 Metro Standard 0 0	0 sf 1 Metro Standard 0 0 0	1 Enhanced Structure  3 8 160 If 0 0		3 Enhanced Structures  3  0  183 If  200 If 51 If	17 If  New Addition  New Addition	with new enhanced bus shelters  Lean bars substituted with 3 new enhanced bus shelters  Seating quantity includes interpretive benches on Denny Way (138 lf) and regular benches (45 lf)  Using LED strip lights under benches, inground lighting at galleria entrances &
	New Enhanced Bus Shelters  Pedestrian Wayfinding Signage  Bus Stop Lean Bars on Stewart  Decorative Seating on Denny / Seat Walls  Benches-LED Underlighting  In-Ground Lighting at Galleria Entrances  Bus Shelter Overhead Lighting	1 Metro Standard 0 0 0	0 sf 1 Metro Standard 0 0 0 0 0	1 Enhanced Structure  3 8 160 If 0 0 7		3 Enhanced Structures  3  0  183 If  200 If 51 If 34 If	17 If  New Addition  New Addition	with new enhanced bus shelters  Lean bars substituted with 3 new enhanced bus shelters  Seating quantity includes interpretive benches on Denny Way (138 lf) and regular benches (45 lf)  Using LED strip lights under benches, inground lighting at galleria entrances &
	New Enhanced Bus Shelters  Pedestrian Wayfinding Signage  Bus Stop Lean Bars on Stewart  Decorative Seating on Denny / Seat Walls  Benches-LED Underlighting In-Ground Lighting at Galleria Entrances Bus Shelter Overhead Lighting  Pedestrian Light Poles at Bus Stops	1 Metro Standard  0  0  0  0  0  0  0  0  0  0  0  0	0 sf 1 Metro Standard 0 0 0 0	1 Enhanced Structure  3 8 160 If 0 0 7		3 Enhanced Structures  3 0 183 If 200 If 51 If 34 If	17 If  New Addition  New Addition	with new enhanced bus shelters  Lean bars substituted with 3 new enhanced bus shelters  Seating quantity includes interpretive benches on Denny Way (138 lf) and regular benches (45 lf)  Using LED strip lights under benches, inground lighting at galleria entrances &
	New Enhanced Bus Shelters  Pedestrian Wayfinding Signage  Bus Stop Lean Bars on Stewart  Decorative Seating on Denny / Seat Walls  Benches-LED Underlighting In-Ground Lighting at Galleria Entrances Bus Shelter Overhead Lighting  Pedestrian Light Poles at Bus Stops  Bike Racks  Reduced Pedestrian Crossing Distance at Minor & Denny (Traffic	1 Metro Standard  0  0  0  0  0  0  0  0  0  0  0  0	0 sf 1 Metro Standard 0 0 0 0 0 0 0	1 Enhanced Structure  3  8  160 If  0  0  7		3 Enhanced Structures  3 0 183 If 200 If 51 If 34 If 0	17 If  New Addition  New Addition	with new enhanced bus shelters  Lean bars substituted with 3 new enhanced bus shelters  Seating quantity includes interpretive benches on Denny Way (138 lf) and regular benches (45 lf)  Using LED strip lights under benches, inground lighting at galleria entrances & overhead lighting at bus shelters instead  Reduced values due to landscape & paving designed by SCL Denny
HG	New Enhanced Bus Shelters  Pedestrian Wayfinding Signage  Bus Stop Lean Bars on Stewart  Decorative Seating on Denny / Seat Walls  Benches-LED Underlighting In-Ground Lighting at Galleria Entrances Bus Shelter Overhead Lighting  Pedestrian Light Poles at Bus Stops  Bike Racks  Reduced Pedestrian Crossing Distance at Minor & Denny (Traffic Calming Measure)  Reduced Pedestrian Crossing Distance at Denny & Yale (Traffic Calming Measure)	1 Metro Standard  0  0  0  0  0  0  110 ft	0 sf 1 Metro Standard 0 0 0 0 0 0 0 0 110 ft	1 Enhanced Structure  3 8 160 If 0 0 7 5 33 ft 35 ft		3 Enhanced Structures  3 0 183 If 200 If 51 If 34 If 0 6 48.5 ft	17 If  New Addition  New Addition	with new enhanced bus shelters  Lean bars substituted with 3 new enhanced bus shelters  Seating quantity includes interpretive benches on Denny Way (138 lf) and regular benches (45 lf)  Using LED strip lights under benches, inground lighting at galleria entrances & overhead lighting at bus shelters instead  Reduced values due to landscape & paving designed by SCL Denny
#6	New Enhanced Bus Shelters  Pedestrian Wayfinding Signage  Bus Stop Lean Bars on Stewart  Decorative Seating on Denny / Seat Walls  Benches-LED Underlighting In-Ground Lighting at Galleria Entrances Bus Shelter Overhead Lighting  Pedestrian Light Poles at Bus Stops  Bike Racks  Reduced Pedestrian Crossing Distance at Minor & Denny (Traffic Calming Measure)  Reduced Pedestrian Crossing Distance at Denny & Yale (Traffic Calming Measure)	1 Metro Standard  0  0  0  0  0  0  110 ft  N/A	0 sf	1 Enhanced Structure  3 8 160 If 0 0 7 5 33 ft 35 ft		3 Enhanced Structures  3  0  183 If  200 If 51 If 34 If  0  6  48.5 ft  30 ft	17 If  New Addition  New Addition  New Addition	with new enhanced bus shelters  Lean bars substituted with 3 new enhanced bus shelters  Seating quantity includes interpretive benches on Denny Way (138 lf) and regular benches (45 lf)  Using LED strip lights under benches, inground lighting at galleria entrances & overhead lighting at bus shelters instead  Reduced values due to landscape & paving designed by SCL Denny
#7	New Enhanced Bus Shelters  Pedestrian Wayfinding Signage  Bus Stop Lean Bars on Stewart  Decorative Seating on Denny / Seat Walls  Benches-LED Underlighting In-Ground Lighting at Galleria Entrances Bus Shelter Overhead Lighting  Pedestrian Light Poles at Bus Stops  Bike Racks  Reduced Pedestrian Crossing Distance at Minor & Denny (Traffic Calming Measure)  Reduced Pedestrian Crossing Distance at Denny & Yale (Traffic Calming Measure)  Loading Dock Located Below Grade  Retail Frontage on Property Line	1 Metro Standard  0  0  0  0  0  0  110 ft	0 sf 1 Metro Standard 0 0 0 0 0 0 0 0 110 ft	1 Enhanced Structure  3 8 160 If 0 0 7 5 33 ft 35 ft Yes 608 If		3 Enhanced Structures  3 0 183 If 200 If 51 If 34 If 0 6 48.5 ft	17 If  New Addition  New Addition	with new enhanced bus shelters  Lean bars substituted with 3 new enhanced bus shelters  Seating quantity includes interpretive benches on Denny Way (138 lf) and regular benches (45 lf)  Using LED strip lights under benches, inground lighting at galleria entrances & overhead lighting at bus shelters instead  Reduced values due to landscape & paving designed by SCL Denny
#7 #8	New Enhanced Bus Shelters  Pedestrian Wayfinding Signage  Bus Stop Lean Bars on Stewart  Decorative Seating on Denny / Seat Walls  Benches-LED Underlighting In-Ground Lighting at Galleria Entrances Bus Shelter Overhead Lighting  Pedestrian Light Poles at Bus Stops  Bike Racks  Reduced Pedestrian Crossing Distance at Minor & Denny (Traffic Calming Measure)  Reduced Pedestrian Crossing Distance at Denny & Yale (Traffic Calming Measure)  Loading Dock Located Below Grade  Retail Frontage on Property Line  Major Mid-Block Access Points to Building (Vehicular)	1 Metro Standard  0  0  0  0  0  0  110 ft  N/A	0 sf	1 Enhanced Structure  3 8 160 If 0 0 7 5 33 ft 35 ft		3 Enhanced Structures  3 0 183 If 200 If 51 If 34 If 0 6 48.5 ft 30 ft Yes 708 If 1	17 If  New Addition  New Addition  New Addition  1	with new enhanced bus shelters  Lean bars substituted with 3 new enhanced bus shelters  Seating quantity includes interpretive benches on Denny Way (138 lf) and regular benches (45 lf)  Using LED strip lights under benches, inground lighting at galleria entrances & overhead lighting at bus shelters instead  Reduced values due to landscape & paving designed by SCL Denny
#7 #8 #9	New Enhanced Bus Shelters  Pedestrian Wayfinding Signage  Bus Stop Lean Bars on Stewart  Decorative Seating on Denny / Seat Walls  Benches-LED Underlighting In-Ground Lighting at Galleria Entrances Bus Shelter Overhead Lighting  Pedestrian Light Poles at Bus Stops  Bike Racks  Reduced Pedestrian Crossing Distance at Minor & Denny (Traffic Calming Measure)  Reduced Pedestrian Crossing Distance at Denny & Yale (Traffic Calming Measure)  Loading Dock Located Below Grade  Retail Frontage on Property Line  Major Mid-Block Access Points to Building (Vehicular)  Elimination of Porte Cochere	1 Metro Standard  0  0  0  0  0  0  110 ft  N/A	0 sf	1 Enhanced Structure  3 8 160 If 0 0 7 5 33 ft 35 ft Yes 608 If 3		3 Enhanced Structures  3  0  183 If  200 If 51 If 34 If  0  6  48.5 ft  30 ft	17 If  New Addition  New Addition  New Addition	with new enhanced bus shelters  Lean bars substituted with 3 new enhanced bus shelters  Seating quantity includes interpretive benches on Denny Way (138 lf) and regular benches (45 lf)  Using LED strip lights under benches, inground lighting at galleria entrances & overhead lighting at bus shelters instead  Reduced values due to landscape & paving designed by SCL Denny
#7 #8 #9 #10	New Enhanced Bus Shelters  Pedestrian Wayfinding Signage  Bus Stop Lean Bars on Stewart  Decorative Seating on Denny / Seat Walls  Benches-LED Underlighting In-Ground Lighting at Galleria Entrances Bus Shelter Overhead Lighting  Pedestrian Light Poles at Bus Stops  Bike Racks  Reduced Pedestrian Crossing Distance at Minor & Denny (Traffic Calming Measure)  Reduced Pedestrian Crossing Distance at Denny & Yale (Traffic Calming Measure)  Loading Dock Located Below Grade  Retail Frontage on Property Line  Major Mid-Block Access Points to Building (Vehicular)  Elimination of Porte Cochere  Curb cuts along Minor & Denny	1 Metro Standard  0  0  0  0  0  0  110 ft  N/A  240 lf	0 sf	1 Enhanced Structure  3 8 160 If 0 0 7 5 33 ft 35 ft Yes 608 If 3		3 Enhanced Structures  3 0 183 If 200 If 51 If 34 If 0 6 48.5 ft 30 ft Yes 708 If 1 Yes 1	17 If  New Addition  New Addition  1  100 If  New Addition	with new enhanced bus shelters  Lean bars substituted with 3 new enhanced bus shelters  Seating quantity includes interpretive benches on Denny Way (138 lf) and regular benches (45 lf)  Using LED strip lights under benches, inground lighting at galleria entrances & overhead lighting at bus shelters instead  Reduced values due to landscape & paving designed by SCL Denny
#7 #8 #9	New Enhanced Bus Shelters  Pedestrian Wayfinding Signage  Bus Stop Lean Bars on Stewart  Decorative Seating on Denny / Seat Walls  Benches-LED Underlighting In-Ground Lighting at Galleria Entrances Bus Shelter Overhead Lighting  Pedestrian Light Poles at Bus Stops  Bike Racks  Reduced Pedestrian Crossing Distance at Minor & Denny (Traffic Calming Measure)  Reduced Pedestrian Crossing Distance at Denny & Yale (Traffic Calming Measure)  Loading Dock Located Below Grade  Retail Frontage on Property Line  Major Mid-Block Access Points to Building (Vehicular)  Elimination of Porte Cochere	1 Metro Standard  0  0  0  0  0  0  110 ft  N/A	0 sf	1 Enhanced Structure  3 8 160 If 0 0 7 5 33 ft 35 ft Yes 608 If 3		3 Enhanced Structures  3 0 183 If 200 If 51 If 34 If 0 6 48.5 ft 30 ft Yes 708 If 1	17 If  New Addition  New Addition  New Addition  1	with new enhanced bus shelters  Lean bars substituted with 3 new enhanced bus shelters  Seating quantity includes interpretive benches on Denny Way (138 lf) and regular benches (45 lf)  Using LED strip lights under benches, inground lighting at galleria entrances & overhead lighting at bus shelters instead  Reduced values due to landscape & paving designed by SCL Denny


PUBLIC BENEFITS QUANTIFICATION MATRIX COMPARISON -2017.03.09



1200 Stewart


<sup>•</sup> The public benefit quantification matrix summarizes the comparison between the 2010 proposed plan and the 2017 proposed plan.

New proposed elements, not included in the 2010 plan are highlighted green.





















1200 Stewart






















Drought Tolerant Boulevard Planting

Bus Shelter With Wayfinding Signage

DENNY WAY AND YALE AVENUE STREETSCAPE



1200 Stewart





















DENNY WAY AND YALE AVENUE SECTIONS







Bus Shelter With Wayfinding Signage



**Drought Tolerant Boulevard Planting** 



**Bike Racks** 



**Interpretive Paving** 







**Underlit Benches** 



Special Stone Paving with inground lighting

Glass Canopy Weather Protection







STEWART STREET PERSPECTIVE - LOOKING NORTHWEST




MINOR AVENUE PERSPECTIVE - LOOKING SOUTHEAST









STEWART STREET SECTIONS



