Aly Pennucci LEG Accessory Dwelling Units ORD DSD6

1 2 3 4 5 6 7
8
9
10
11
12 13 14 15 16 17 18 19
20
21
22
23
24
25
26
27
28
29

#### Description:

This amendment is a substitute version of CB 119544 that incorporates technical and clarifying amendments to fix typos and other drafting errors identified by Central Staff.

Notes:

title

<u>Underlines</u> in red text indicates new language to be added.

Strikethroughs in red text-indicate language proposed to be removed.

#### **CITY OF SEATTLE**

ORDINANCE \_\_\_\_\_

COUNCIL BILL \_\_\_\_\_

AN ORDINANCE relating to land use and zoning, amending Sections 23.44.011, 23.44.014,
23.44.017, 23.44.020, 23.44.041, 23.45.545, 23.84A.002, 23.84A.032, 23.84A.038, and
23.86.007 of the Seattle Municipal Code to remove barriers to the creation of attached
and detached accessory dwelling units and add a floor area ratio requirement in certain
single-family zones.
body
WHEREAS, the City Council adopted Resolution 31547 in September 2014, directing the

Department of Planning and Development to explore policy changes that would increase

the production of attached accessory dwelling units and detached accessory dwelling

units, including regulatory changes, incentives, marketing, and promotion; and

WHEREAS, the Housing Affordability and Livability Agenda (HALA) Advisory Committee

made recommendations in July 2015 to the Mayor and City Council, including

Recommendation SF.1a to remove code barriers to accessory dwelling units and

backyard cottages by removing the parking requirement, removing the owner-occupancy

requirement, allowing a single lot to have both an attached and detached accessory

dwelling unit, and making minor modifications to existing development standards for

detached accessory dwelling units; and

Aly Pennucci LEG Accessory Dwelling Units ORD D5D6

I

1	$\frac{DSD6}{DSD6}$ WHEREAS, the City Council adopted Resolution 31609 in September 2015, declaring its intent
2	to consider strategies to increase the availability of affordable housing in Seattle,
3	outlining an overarching policy framework and timeline for the Mayor's HALA
4	recommendations, and establishing the Council Work Plan for HALA Recommendations,
5	which included Strategy (h) to remove barriers to the development of detached and
6	attached accessory dwelling units; and
7	WHEREAS, attached accessory dwelling units have been allowed on single-family lots since
8	1994, and detached accessory dwelling units have been allowed on single-family lots
9	since 2010, subject to certain development standards; and
10	WHEREAS, since 2010 only approximately 700 detached accessory dwelling units have been
11	constructed, accounting for less than one percent of eligible single-family lots;
12	NOW, THEREFORE,
13	BE IT ORDAINED BY THE CITY OF SEATTLE AS FOLLOWS:
14	Section 1. Section 23.44.011 of the Seattle Municipal Code, enacted by Ordinance
15	125791, is amended as follows:
16	23.44.011 Floor area in ((RSL)) single-family zones
17	A. Gross floor area. In ((RSL)) <u>single-family</u> zones, gross floor area includes exterior
18	corridors, breezeways, and stairways that provide building circulation and access to dwelling
19	units or sleeping rooms. Balconies, patios, and decks that are associated with a single dwelling
20	unit or sleeping room and that are not used for common circulation, and ground-level walking
21	paths, are not considered gross floor area.
22	B. Floor area ratio (FAR) limits.

Aly Pennucci LEG Accessory Dwelling Units ORD

	Dependence of the second secon
1	$\frac{1}{1.}$ The FAR limit on lots developed with a single-family dwelling unit as the
2	principal usefor single-family dwelling units in SF 5000, SF 7200, and SF 9600 zones, is 0.5,
3	except that lots with less than 5,000 square feet of lot area can include up to 2,500 square feet of
4	total chargeable floor area. The applicable FAR limit applies to the total chargeable floor area of
5	all structures on the lot.
6	<u>2.</u> The FAR limit in RSL zones is 0.75. The applicable FAR limit applies to
7	the total chargeable floor area of all structures on the lot.
8	C. The following floor area is exempt from FAR limits:
9	1. All stories, or portions of stories, that are underground.
10	2. All portions of a story that extend no more than 4 feet above existing or
11	finished grade, whichever is lower, excluding access.
12	3. In SF 5000, SF 7200, and SF 9600 zones:
13	a. Any floor area contained in an accessory dwelling unit;
14	b. Either up to 500 additional square feet of floor area in any other
15	accessory structure that is not a detached accessory dwelling unit, or up to 250 square feet of
16	floor area in an attached garage.
17	((3)) <u>4</u> . $((Fifty))$ <u>In RSL zones, 50</u> percent of floor area contained in
18	structures built prior to January 1, 1982, as single-family dwelling units that will remain in
19	residential use, regardless of the number of dwelling units within the existing structure, provided
20	the exemption is limited to the gross square footage in the single-family dwelling unit as of
21	January 1, 1982.

Aly Pennucci LEG Accessory Dwelling Units ORD

1	D. In SF 5000, SF 7200, and SF 9600 zones, additions to a single-family dwelling
2	unit existing on the effective date of the ordinance introduced as Council Bill 119544 may
3	exceed the FAR limit in subsection 23.44.011.B.1 if the addition adds floor area equal to or less
4	than 20 percent of the floor area that existed on the effective date of the ordinance introduced as
5	Council Bill 119544. Only one addition to any single-family dwelling unit may be exempted
6	under this subsection 23.44.011.D.
7	Section 2. Section 23.44.014 of the Seattle Municipal Code, last amended by Ordinance
8	125791, is amended as follows:
9	23.44.014 Yards and separations
10	* * *
11	C. Exceptions from standard yard requirements. No structure shall be placed in a
12	required yard except as follows:
13	1. Garages. Garages may be located in <u>a</u> required yard subject to the
14	standards of Section 23.44.016.
15	2. Certain accessory structures in side and rear yards
16	a. Except for detached accessory dwelling units, any accessory
17	structure that complies with the requirements of Section 23.44.040 may be constructed in a side
18	yard that abuts the rear or side yard of another lot, or in that portion of the rear yard of a reversed
19	corner lot within 5 feet of the key lot and not abutting the front yard of the key lot, upon
20	recording with the King County Recorder's Office an agreement to this effect between the
21	owners of record of the abutting properties.

Aly Pennucci LEG Accessory Dwelling Units ORD

<u>Ð5D6</u> 1 Except for detached accessory dwelling units, any detached b. 2 accessory structure that complies with the requirements of Section 23.44.040 may be located in a 3 rear yard, provided that on a reversed corner lot, no accessory structure shall be located in that 4 portion of the required rear yard that abuts the required front yard of the adjoining key lot, nor 5 shall the accessory structure be located closer than 5 feet from the key lot's side lot line unless 6 the provisions of subsections 23.44.014.C.2.a or 23.44.016.D.9 apply. 7 A detached accessory dwelling unit may be located in a rear yard c. 8 subject to the requirements of subsection 23.44.041.C. 9 3. A principal residential structure or a detached accessory dwelling unit may 10 extend into one side yard if an easement is provided along the side or rear lot line of the abutting 11 lot, sufficient to leave a 10-foot separation between that structure and any principal structure or detached accessory dwelling unit on the abutting lot. The 10-foot separation shall be measured 12 13 from the wall of the principal structure or the wall of the detached accessory dwelling unit that is 14 proposed to extend into a side yard to the wall of the principal structure or detached accessory 15 dwelling unit on the abutting lot. 16 a. No structure or portion of a structure may be built on either lot 17 within the 10-foot separation, except as provided in this Section 23.44.014. 18 b. Accessory structures, other than detached accessory dwelling units, 19 and features of and projections from principal structures, such as porches, eaves, and chimneys, 20 are permitted in the 10-foot separation area required by this subsection 23.44.014.C.3 if

- 21 otherwise allowed in side yards by this subsection 23.44.014.C. For purposes of calculating the
- 22 distance a structure or feature may project into the 10-foot separation, assume the property line is

Aly Pennucci LEG Accessory Dwelling Units ORD D5D6

5 feet from the wall of the principal structure proposed to extend into a side yard and consider
 the 5 feet between the wall and the assumed property line to be the required side yard.

3 c. No portion of any structure, including any projection, shall cross
4 the property line.

d. The easement shall be recorded with the King County Recorder's
Office. The easement shall provide access for normal maintenance activities to the principal
structure on the lot with less than the required ((5-foot)) 5-foot side yard.

8 4. Certain additions. Certain additions to an existing single-family structure, 9 or an existing accessory structure if being converted to a detached accessory dwelling unit may 10 extend into a required yard if the existing single-family structure is already nonconforming with 11 respect to that yard. The presently nonconforming portion must be at least 60 percent of the total 12 width of the respective facade of the structure prior to the addition. The line formed by the 13 existing nonconforming wall of the structure is the limit to which any additions may be built, 14 except as described in subsections 23.44.014.C.4.a through 23.44.014.C.4.e. Additions may 15 extend up to the height limit and may include basement additions. New additions to the 16 nonconforming wall or walls shall comply with the following requirements (Exhibit A for 17 23.44.014):

a. Side yard. If the addition is a side wall, the existing wall line may
be continued by the addition except that in no case shall the addition be closer than 3 feet to the
side lot line;


Aly Pennucci LEG Accessory Dwelling Units ORD

1	<u>₽\$</u> <u>D6</u> b.		Rear yard. If the addition is a rear wall, the existing wall line may
2	be continued by the addi	ition e	except that in no case shall the addition be closer than 20 feet to the
3	rear lot line or centerline	e of ar	alley abutting the rear lot line;
4	c.		Front yard. If the addition is a front wall, the existing wall line may
5	be continued by the addi	ition e	except that in no case shall the addition be closer than 15 feet to the
6	front lot line;		
7	d.		If the nonconforming wall of the single-family structure is not
8	parallel or is otherwise in	rregul	ar, relative to the lot line, then the Director shall determine the
9	limit of the wall extension	on, ex	cept that the wall extension shall not be located closer than
10	specified in subsections	23.44	.014.C.4.a, 23.44.014.C.4.b, and 23.44.014.C.4.c.
11	e.		Roof eaves, gutters, and chimneys on such additions may extend
12	an additional 18 inches i	nto a	required yard, but in no case shall such features be closer than 2
13	feet to the side lot line.		

Aly Pennucci LEG Accessory Dwelling Units ORD DSD6

#### **Exhibit A for 23.44.014**

#### Additions into yards for existing single-family structures



3 4 5

6

7

8

5. Uncovered porches or steps. Uncovered, unenclosed porches ((,,)) or steps may project into any required yard, if each component is no higher than 4 feet above existing grade, no closer than 3 feet to any side lot line, and has no horizontal distance greater than 6 feet within the required yard. For each entry to a principal structure, one uncovered, unenclosed porch and/or associated steps are permitted in the required yards.

6. Certain features of a structure. Unless otherwise provided elsewhere in
this Chapter 23.44, certain features of a principal or accessory structure, except for accessory
dwelling units, may extend into required yards if they comply with the following:

Aly Pennucci LEG Accessory Dwelling Units ORD

1	a. External architectural details with no living area, such as	
2	chimneys, eaves, cornices, and columns, may project no more than 18 inches into any requi	red
3	yard;	
4	b. Bay windows are limited to 8 feet in width and may project n	0
5	more than 2 feet into a required front, rear, and street side yard;	
6	c. Other projections that include interior space, such as garden	
7	windows, may extend no more than 18 inches into any required yard, starting a minimum o	f 30
8	inches above finished floor, and with maximum dimensions of 6 feet in height and 8 feet in	
9	width;	
10	d. The combined area of features permitted by subsections	
11	23.44.014.C.6.b and 23.44.014.C.6.c may comprise no more than 30 percent of the area of	the
12	facade.	
13	7. Covered unenclosed decks and roofs over patios. Covered, unenclosed	ed
14	decks and roofs over patios, if attached to a principal structure or a detached accessory dwe	<u>lling</u>
15	unit, may extend into the required rear yard, but shall not be within 12 feet of the centerline	of
16	any alley, or within 12 feet of any rear lot line that is not an alley lot line, or closer to any s	ide lot
17	line in the required rear yard than the side yard requirement of the principal structure along	that
18	side, or closer than 5 feet to any accessory structure. The height of the roof over unenclosed	1
19	decks and patios shall not exceed 12 feet. The roof over such decks or patios shall not be us	ed as
20	a deck.	
21	8. Access bridges. Uncovered, unenclosed access bridges are permitted	as
22	follows:	

Aly Pennucci LEG Accessory Dwelling Units ORD

1 I	LEG Accessory Dwelling Units ORD D5D6
1	a. Pedestrian bridges 5 feet or less in width, and of any height
2	necessary for access, are permitted in required yards, except that in side yards an access bridge
3	must be at least 3 feet from any side lot line.
4	b. A driveway access bridge is permitted in the required yard abutting
5	the street if necessary for access to parking. The vehicular access bridge shall be no wider than
6	12 feet for access to one parking space or 18 feet for access to two or more parking spaces and of
7	any height necessary for access. The driveway access bridge may not be located closer than 5
8	feet to an adjacent property line.
9	9. Barrier-free access. Access facilities for the disabled and elderly that
10	comply with Washington State Building Code ((,)) Chapter 11 are permitted in any required
11	yard.
12	10. Freestanding structures and bulkheads
12 13	<ul><li>10. Freestanding structures and bulkheads</li><li>a. Fences, freestanding walls, bulkheads, signs, and similar structures</li></ul>
13	a. Fences, freestanding walls, bulkheads, signs, and similar structures
13 14	<ul> <li>a. Fences, freestanding walls, bulkheads, signs, and similar structures</li> <li>6 feet or less in height above existing or finished grade, whichever is lower, may be erected in</li> </ul>
13 14 15	<ul> <li>a. Fences, freestanding walls, bulkheads, signs, and similar structures</li> <li>6 feet or less in height above existing or finished grade, whichever is lower, may be erected in</li> <li>any required yard. The 6-foot height may be averaged along sloping grade for each 6-foot-long</li> </ul>
13 14 15 16	a. Fences, freestanding walls, bulkheads, signs, and similar structures 6 feet or less in height above existing or finished grade, whichever is lower, may be erected in any required yard. The 6-foot height may be averaged along sloping grade for each 6-foot-long segment of the fence, but in no case may any portion of the fence exceed 8 feet. Architectural
13 14 15 16 17	a. Fences, freestanding walls, bulkheads, signs, and similar structures 6 feet or less in height above existing or finished grade, whichever is lower, may be erected in any required yard. The 6-foot height may be averaged along sloping grade for each 6-foot-long segment of the fence, but in no case may any portion of the fence exceed 8 feet. Architectural features may be added to the top of the fence or freestanding wall above the 6-foot height if the
13 14 15 16 17 18	a. Fences, freestanding walls, bulkheads, signs, and similar structures 6 feet or less in height above existing or finished grade, whichever is lower, may be erected in any required yard. The 6-foot height may be averaged along sloping grade for each 6-foot-long segment of the fence, but in no case may any portion of the fence exceed 8 feet. Architectural features may be added to the top of the fence or freestanding wall above the 6-foot height if the features comply with the following: horizontal architectural feature(s), no more than 10 inches
13 14 15 16 17 18 19	a. Fences, freestanding walls, bulkheads, signs, and similar structures 6 feet or less in height above existing or finished grade, whichever is lower, may be erected in any required yard. The 6-foot height may be averaged along sloping grade for each 6-foot-long segment of the fence, but in no case may any portion of the fence exceed 8 feet. Architectural features may be added to the top of the fence or freestanding wall above the 6-foot height if the features comply with the following: horizontal architectural feature(s), no more than 10 inches high, and separated by a minimum of 6 inches of open area, measured vertically from the top of
13 14 15 16 17 18 19 20	a. Fences, freestanding walls, bulkheads, signs, and similar structures 6 feet or less in height above existing or finished grade, whichever is lower, may be erected in any required yard. The 6-foot height may be averaged along sloping grade for each 6-foot-long segment of the fence, but in no case may any portion of the fence exceed 8 feet. Architectural features may be added to the top of the fence or freestanding wall above the 6-foot height if the features comply with the following: horizontal architectural feature(s), no more than 10 inches high, and separated by a minimum of 6 inches of open area, measured vertically from the top of the fence, are permitted if the overall height of all parts of the structure, including post caps, is

Aly Pennucci LEG Accessory Dwelling Units ORD D5D6

	DSD6
1	b. The Director may allow variation from the development standards
2	listed in subsection 23.44.014.C.10.a, according to the following:
3	1) No part of the structure may exceed 8 feet; and
4	2) Any portion of the structure above 6 feet shall be
5	predominately open, such that there is free circulation of light and air.
6	c. Bulkheads and retaining walls used to raise grade may be placed in
7	any required yard when limited to 6 feet in height, measured above existing grade. A guardrail
8	no higher than 42 inches may be placed on top of a bulkhead or retaining wall existing as of
9	February 20, 1982. If a fence is placed on top of a new bulkhead or retaining wall, the maximum
10	combined height is limited to 9 $1/2$ feet.
11	d. Bulkheads and retaining walls used to protect a cut into existing
12	grade may be placed in any required yard when limited to the minimum height necessary to
13	support the cut. If the bulkhead or retaining wall is measured from the low side and it exceeds 6
14	feet, an open guardrail of no more than 42 inches meeting Building Code requirements may be
15	placed on top of the bulkhead or retaining wall. If the bulkhead or retaining wall is 6 feet or less,
16	a fence may be placed on top up to a maximum combined height of 9.5 feet for both fence and
17	bulkhead or retaining wall.
18	e. If located in shoreline setbacks or in view corridors in the
19	Shoreline District as regulated in Chapter 23.60A, structures shall not obscure views protected
20	by Chapter 23.60A, and the Director shall determine the permitted height.
21	11. Decks in yards. Decks no higher than 18 inches above existing or finished
22	grade, whichever is lower, may extend into required yards.

Aly Pennucci LEG Accessory Dwelling Units ORD

1	$\frac{DSD6}{12}$ 12. Mechanical equipment. Heat pumps and similar mechanical equipment,
2	not including incinerators, are permitted in required yards if they comply with the requirements
3	of Chapter 25.08. Any heat pump or similar equipment shall not be located within 3 feet of any
4	lot line. Charging devices for electric cars are considered mechanical equipment and are
5	permitted in required yards if not located within 3 feet of any lot line.
6	13. Solar collectors. Solar collectors may be located in required yards, subject
7	to the provisions of Section 23.44.046.
8	14. Front yard projections for structures on lots 30 feet or less in width. For a
9	structure on a lot in an SF 5000, SF 7200, or SF 9600 zone that is 30 feet or less in width,
10	portions of the front facade that begin 8 feet or more above finished grade may project up to 4
11	feet into the required front yard, provided that no portion of the facade, including eaves and
12	gutters, shall be closer than 5 feet to the front lot line (Exhibit B for 23.44.014), and provided
13	further that no portion of the facade of an existing structure that is less than 8 feet or more above
14	finished grade already projects into the required front yard.


Aly Pennucci LEG Accessory Dwelling Units ORD D5D6

#### **Exhibit B for 23.44.014**

1

2

Front yard projections permitted for structures on lots 30 feet or less in width



Aly Pennucci LEG Accessory Dwelling Units ORD

1	15. Front and rear yards may be reduced by 25 percent, but no more than 5
2	feet, if the site contains a required environmentally critical area buffer or other area of the
3	property that cannot be disturbed pursuant to subsection 25.09.280.A.
4	16. Arbors. Arbors may be permitted in required yards under the following
5	conditions:
6	a. In any required yard, an arbor may be erected with no more than a
7	40-square-foot footprint, measured on a horizontal roof plane inclusive of eaves, to a maximum
8	height of 8 feet. Both the sides and the roof of the arbor shall be at least 50 percent open, or if
9	latticework is used, there shall be a minimum opening of 2 inches between crosspieces.
10	b. In each required yard abutting a street, an arbor over a private
11	pedestrian walkway with no more than a 30-square-foot footprint, measured on the horizontal
12	roof plane and inclusive of eaves, may be erected to a maximum height of 8 feet. The sides of the
13	arbor shall be at least 50 percent open, or if latticework is used, there shall be a minimum
14	opening of 2 inches between crosspieces.
15	17. Stormwater management
16	a. Above-grade green stormwater infrastructure (GSI) features are
17	allowed without yard restrictions if:
18	1) Each above-grade GSI feature is less than 4.5 feet tall,
19	excluding piping;
20	2) Each above-grade GSI feature is less than 4 feet wide; and
21	3) The total storage capacity of all above-grade GSI features
22	is no greater than 600 gallons.

Aly Pennucci LEG Accessory Dwelling Units ORD

1	b. Above-grade GSI features larger than what is allowed in
2	subsection 23.44.014.C.17.a are allowed within a required yard if:
3	1) Above-grade GSI features do not exceed ten percent
4	coverage of any one yard area;
5	2) No portion of an above-grade GSI feature is located closer
6	than 3 feet from a side lot line;
7	3) No portion of an above-grade GSI feature is located closer
8	than 20 feet from a rear lot line or centerline of an alley abutting the rear lot line; and
9	4) No portion of an above-grade GSI feature is located closer
10	than 15 feet from the front lot line.
11	18. A structure may be permitted to extend into front and rear yards as
12	necessary to protect exceptional trees and trees over 2 feet in diameter pursuant to Section
13	25.11.060.
14	D. Additional standards for structures if allowed in required yards. Structures in
15	required yards shall comply with the following:
16	1. Accessory structures, attached garages, and portions of a principal
17	structure shall not exceed a maximum combined coverage of 40 percent of the required rear yard,
18	except that a detached accessory dwelling unit may cover an additional 20 percent of the rear
19	yard provided that the increased rear yard coverage does not require removal of any exceptional
20	trees or trees over 2 feet in diameter measured 4.5 feet above the ground. In the case of a rear
21	yard abutting an alley, rear yard coverage shall be calculated from the centerline of the alley.

Aly Pennucci LEG Accessory Dwelling Units ORD

1	2. Any accessory structure located in a required yard shall be separated from			
2	its principal structure by a minimum of 5 feet. This requirement does not apply to terraced			
3	garages that comply with subsection 23.44.016.C.9.b.			
4	3. Except for detached accessory dwelling units, ((in subsection			
5	23.44.041.B,)) any accessory structure located in a required yard shall meet both the following			
6	standards:			
7	a. A maximum height of 12 feet; and			
8	b. A maximum size of 1,000 square feet in area.			
9	4. Any detached accessory dwelling unit located in a required yard is subject			
10	to the requirements of subsection 23.44.041.C.			
11	* * *			
12	Section 3. Section 23.44.017 of the Seattle Municipal Code, enacted by Ordinance			
13	125791, is amended as follows			
14	23.44.017 Density limits			
15	A. In SF 5000, SF 7200, and SF 9600 zones, only one single-family dwelling unit is			
16	allowed per lot, except that ((an))up to two accessory dwelling units may also be approved			
17	pursuant to Section 23.44.041, and except as approved as part of an administrative conditional			
18	use permit under Section 25.09.260, a clustered housing planned development under Section			
19	23.44.024, or a planned residential development under Section 23.44.034.			
20	* * *			
21	Section 4. Section 23.44.020 of the Seattle Municipal Code, enacted by Ordinance			
22	125791, is amended as follows:			

Aly Pennucci LEG Accessory Dwelling Units ORD

I

1	23.44.020 Tree requirements
2	A. Tree requirements in SF 5000, SF 7200, and SF 9600 zones
3	1. Trees sufficient to meet the following requirements shall be provided
4	when single-family dwelling units are constructed:
5	a. For lots over 3,000 square feet, at least 2 caliper inches of tree per
6	1,000 square feet of lot area.
7	b. On lots that are 3,000 square feet or smaller, at least 3 caliper
8	inches of tree.
9	2. Trees sufficient to meet the following requirements shall be provided
10	when a new structure, or an addition to an existing structure, containing an accessory dwelling
11	unit is constructed:
12	a. For lots that do not contain the minimum number of caliper inches
13	of tree required by subsection 23.44.020.A.1 at the time a permit application is submitted for any
14	number of accessory dwelling units, at least 2 caliper inches of tree shall be planted;
15	b. For lots that contain the minimum number of caliper inches of tree
16	required by subsection 23.44.020.A.1 at the time a permit application is submitted for any
17	number of accessory dwelling units, no new trees are required.
18	((2)) $\underline{3}$ . The minimum number of caliper inches of tree required may be
19	met by preserving existing trees, planting new trees, or by a combination of preservation and
20	planting. The preservation or planting of trees in the right-of-way may be counted, provided that
21	they are approved by the Director of Transportation.

Aly Pennucci LEG Accessory Dwelling Units ORD <del>D5<u>D6</u></del>

I

1	$((3)) \underline{4}.$ Submerged land shall not be included in calculating lot area for
2	purposes of either the tree preservation option or tree planting option.
3	((4)) $\underline{5}$ . Tree measurements. Trees planted to meet the requirements in this
4	subsection 23.44.020.A shall be at least 1.5 inches in diameter. The diameter of new trees shall
5	be measured (in caliper inches) 6 inches above the ground. Existing trees shall be measured 4.5
6	feet above the ground. When an existing tree is 3 to 10 inches in diameter, each 1 inch counts as
7	1 inch toward meeting the tree requirements in this subsection 23.44.020.A. When an existing
8	tree is more than 10 inches in diameter, each 1 inch of the tree that is over 10 inches shall count
9	as 3 inches toward meeting the tree requirement.
10	((5)) <u>6</u> . Tree preservation plans. If the tree preservation option is chosen, a
11	tree preservation plan must be submitted by a certified arborist and approved. Tree preservation
12	plans shall provide for protection of trees during construction according to standards
13	promulgated by the Director.
14	7. The owner of the subject lot shall ensure that the trees planted remain
15	healthy for at least five years after inspection by the City and be responsible for replacing any
16	trees that do not remain healthy after inspection by the City.
17	* * *
18	Section 5. Section 23.44.041 of the Seattle Municipal Code, last amended by Ordinance
19	125791, is amended as follows:

Aly Pennucci LEG Accessory Dwelling Units ORD D5D6

#### 1 23.44.041 Accessory dwelling units

2	A. ((Accessory dwelling units, general provisions)) General provisions. The Director
3	may authorize an accessory dwelling unit, and that dwelling unit may be used as a residence,
4	only under the following conditions:
5	1. <u>Number of accessory dwelling units allowed on a lot</u> .
6	<u>a.</u> In an SF 5000, SF 7200, or SF 9600 zone, a lot with or proposed
7	for a <u>principal</u> single-family dwelling unit may have ((no more than one)) up to two accessory
8	dwelling units, provided that the following conditions are met:
9	1) Only one accessory dwelling unit may be a detached
10	accessory dwelling unit; and
11	2) A second accessory dwelling unit is allowed only if : (1)
12	the applicant makes a commitment that the new principal structure or the new accessory structure
13	containing a detached accessory dwelling unit will meet a green building standard and shall
14	demonstrate compliance with that commitment, all in accordance with Chapter 23.58D. A
15	second accessory dwelling unit that is proposed within an existing structure does not require the
16	structure to be updated to meet the green building standard; or (2) if the second accessory
17	dwelling unit is a rental unit affordable to and reserved solely for "income-eligible households,"
18	as defined in Section 23.58A.004, and is subject to an agreement specifying the affordable
19	housing requirements under this subsection approved by the Director of Housing to ensure that
20	the housing shall serve only income-eligible households for a minimum period of 50 years. The
21	monthly rent, including basic utilities, shall not exceed 30 percent of the income limit for the
22	unit, all as determined by the Director of Housing, and the housing owner shall submit a report to

Aly Pennucci LEG Accessory Dwelling Units ORD

l	1	the Office of Housing annually that documents how the affordable housing meets the terms of
	2	the recorded agreement. Prior to issuance, and as a condition to issuance, of the first building
	3	permit for a project, the applicant shall execute and record a declaration in a form acceptable to
	4	the Director that shall commit the applicant to satisfy the conditions to establishing a second
	5	accessory dwelling unit as approved by the Director.
	6	b. In an RSL zone, each principal dwelling unit may have no more
	7	than one accessory dwelling unit.
	8	2. In the Shoreline District, accessory dwelling units shall be as provided in
	9	Chapter 23.60A; where allowed in the Shoreline District, they are also subject to the provisions
	10	in this Section 23.44.041.
	11	((3. The owner(s) of the lot shall comply with the owner occupancy
	12	requirements of subsection 23.44.041.C.
	13	4)) <u>3</u> . Any number of related persons may occupy each unit ((in a single-family
	14	dwelling unit)) on a lot with ((an)) one or more accessory dwelling units.((; provided that, if)) If
	15	unrelated persons occupy ((either-)) any dwelling unit, the total number of persons occupying
	16	((both)) all dwelling units may not altogether exceed eight if there is none or one accessory
	17	dwelling unit on the lot. If there are two accessory dwelling units exist on the lot, the total
	18	number of unrelated persons occupying all units may not altogether exceed 12.
	19	((5. All accessory dwelling units are required to meet the development
	20	standards in Table A for 23.44.041, unless modified in subsection 23.44.041.B:

Aly Pennucci LEG Accessory Dwelling Units ORD

|

Table A for 23.4	4.041
	andards for all accessory dwelling units
a. Maximum	Attached accessory dwelling units are limited to 1,000 square feet,
gross floor area	including garage and storage area. <sup>4</sup> Detached accessory dwelling units are
	limited to 800 square feet, including any garage and storage area provided
	in the same structure as the accessory dwelling unit, but excluding areas
	below grade, measured as set forth in Section 23.86.007.
b. Entrances	In SF 5000, SF 7200, and SF 9600 zones, only one entrance to the structure
	may be located on each street-facing facade of the dwelling unit. <sup>2</sup>
Footnotes to Tab	le A for 23.44.041:
<sup>1</sup> The gross floor	area of an attached accessory dwelling unit may exceed 1,000 square feet
	n of the structure in which the accessory dwelling unit is located was in
	une 1, 1999, and if the entire accessory dwelling unit is located on one level,
	age for the accessory dwelling unit may be located on a different level.
	entrance may be allowed if: a) two entrances on the street facing facade
	Ty 1, 1993; or b) the Director determines that topography, screening, or
	blution is effective in de-emphasizing the presence of a second entrance.))
unother design so	ration is effective in de emphasizing the presence of a second entrance.//
<u>4.</u>	In an SF 5000, SF 7200, or SF 9600 zone, accessory dwelling units are
subject to the tree	requirements in subsection 23.44.020.A.2.
((6)	)) <u>5</u> . ((Except on lots located within areas that are defined as either an
urban center or url	oan village in the City's Comprehensive Plan, one off-street parking space is
required for the ac	cessory dwelling unit and may be provided as tandem parking with the parking
space provided for	the principal dwelling unit.)) No off-street parking is required for accessory
dwelling units. An	existing required parking space may not be eliminated to accommodate an
accessory dwelling	g unit unless it is replaced elsewhere on the lot. ((Except for lots located in
either Map A for 2	23.54.015, University District Parking Impact Area, or Map B for 23.54.015,
Alki Area Parking	Overlay, the Director may waive the off-street parking space requirement for
an accessory dwel	l <del>ing unit if:</del>
	a. The topography or location of existing principal or accessory
structures on the le	ot makes provision of an off-street parking space physically infeasible; or

Aly Pennucci LEG Accessory Dwelling Units ORD

1	b. The lot is located in a restricted parking zone (RPZ) and a current
2	parking study is submitted showing a utilization rate of less than 75 percent for on-street parking
3	within 400 feet of all property lines of the site.))
4	B. Attached accessory dwelling units. Attached accessory dwelling units are subject
5	to the following additional conditions:
6	1. The gross floor area of an attached accessory dwelling unit may not
7	exceed 1,000 square feet, excluding garage area, unless the portion of the structure in which the
8	attached accessory dwelling unit is located existed as of December 31, 2017.
9	2. In an SF 5000, SF 7200, or SF 9600 zone, only one entrance to the
10	structure may be located on each street-facing facade of the structure, unless multiple entrances
11	on the street-facing facade existed on January 1, 1993, or unless the Director determines that
12	topography, screening, or another design solution is effective in de-emphasizing the presence of
13	an additional entrance.
14	((B)) <u>C</u> . ((Accessory)) <u>Detached accessory</u> dwelling units. ((, detached, additional
15	provisions. The Director may authorize a detached)) Detached accessory dwelling units are ((,
16	and that unit may be used as a residence, only under the conditions set forth in subsection
17	23.44.041.A and)) subject to the following additional conditions:
18	1. Detached accessory dwelling units are required to meet the additional
19	development standards set forth in Table (( $\mathbf{B}$ )) <u>A</u> for 23.44.041.
	Table ((B)) A for 23.44.041         Development standards for detached accessory dwelling units <sup>1, 2</sup>
	a. Minimum lot size $((4,000))$ 3,200 square feet
	b. Minimum lot width 25 feet
	c. Minimum lot depth 70 feet <sup><math>\frac{3}{2}</math></sup> ((2))

Aly Pennucci LEG Accessory Dwelling Units ORD DSD6

I

Development standards for detached accessory dwelling units <sup>1,2</sup>						
d. Maximum lot coverage	((The provisions of Section 23.44.010 apply.)) Detached					
	accessory dwelling units are subject to the requirements governing maximum lot coverage and lot coverage exceptions in					
	•	s 23.44.010.C and			puons m	
· Marine many word					<b>-</b> - <b>1</b> -	
e. Maximum rear yard coverage	((A detached))Detached accessory dwelling units, together with					
coverage	any other accessory structures and other portions of the principal structure, ((is limited to a maximum combined coverage of 40					
		the rear yard)) are		-		
	-	maximum rear ya	•	-		
		in subsections 23	-		_	
f. Maximum (( <del>gross floor</del>	(( <del>800</del> )) <u>The</u>	e gross floor area	of a detached	accessory dw	elling unit	
area)) size	may not ex	ceed 1,000 squar	re feet ((includ	ling)) <u>excludin</u>	g garage	
	U	e area <u>s,</u> (( <del>but exc</del> l	0	// <b>I</b>		
		are less than 25 s	-		-	
	areas measured as set forth in Section 23.86.007)) gross floor that					
a Enout would	is undergroundarea below grade.A detached accessory dwelling unit may not be located within the					
g. Front yard						
	front yard required by subsection 23.44.014.B, except on a through lot pursuant to Section 23.40.030 or Section 23.40.035.					
	((and row i of this Table B for 23.44.041.))					
h. Minimum side yard		$\frac{1}{C \text{ apply.}^7} $	detached			
2	accessory dwelling unit may not be located within the side yard					
	required by subsection 23.44.014.B except as provided in					
	subsection 23.44.014.C.3 or 23.44.014.C.4.4					
i. Minimum rear yard	A detached accessory dwelling unit may be located within a					
	required rear yard if it is not within 5 feet of any lot line, unless					
	the lot line is adjacent to an alley, in which case a detached $(3)^{4}$ 5.6					
		accessory dwelling unit may be located at that lot line. <sup>((3,)) 4, 5, <math>\underline{6}</math></sup>				
j. Location of entry	((Entrances to detached accessory dwelling units may not be					
	located on facades)) If the entrance to a detached accessory					
	dwelling unit is located on a facade facing ((the nearest)) <u>a</u> side					
	lot line or ((the)) <u>a</u> rear lot line, the entrance may not be within 10 feet of that lot line unless ((the nearest side)) that lot line ((or rear					
	lot line)) abuts an alley or other public right-of-way.					
Lot width (feet)						
k. Maximum height	Less than	30 (( <del>or greater</del> ))	((Above 35	(( <del>Above</del> ))40	50 or	
limits $\frac{7, 8, 9}{6}$ (( $\frac{6}{6}$ ))	30	up to $((35)) 40$	up to 40))	up to $50((^{6}))$	greater	
(1) Base structure height	(( <del>12</del> )) <u>14</u>	((14)) <u>16</u>	(( <del>15</del> ))	(( <del>16</del> )) <u>18</u>	(( <del>16</del> )) <u>18</u>	

Aly Pennucci LEG Accessory Dwelling Units ORD

I

<del>D5</del> D6					
Table ((B)) $\underline{A}$ for 23.44.041Development standards for detached accessory dwelling units <sup>1,2</sup>					
<ul><li>(2) Height allowed for pitched roof above base structure height limit (in feet)</li></ul>	3	7	((7))	(( <del>6</del> )) <u>5</u>	7
<ul><li>(3) Height allowed for shed or butterfly roof above base structure height limit</li><li>(in feet); see Exhibit A for 23.44.041</li></ul>	3	4	((4))	4	4
l. Minimum separation from principal (( <del>structure</del> )) <u>single-</u> family_dwelling unit			5 feet		
(( <del>m. Number per lot</del>	Only one de	tached accesse	<del>y dwelling un</del>	it is allowed o	n a lot.))

Aly Pennucci LEG Accessory Dwelling Units ORD DSD6

Table ((B)) <u>A</u> for 23.44.041

#### Development standards for detached accessory dwelling units<sup>1,2</sup>

Footnotes to Table (( $\mathbf{B}$ )) <u>A</u> for 23.44.041

<sup>1</sup> The Director may allow an exception to standards a through f((,)) and h((, i, and j)) through k pursuant to subsection ((23.44.041.B.3)) 23.44.041.C.2, for converting existing accessory structures to a detached accessory dwelling unit, including additions to an existing accessory structure.

<sup>2</sup> The Director may allow an exception to standards  $\underbrace{e_{r}i_{\overline{5}}}$  and j if the exception allows for the preservation of an exceptional tree or a tree over 2 feet in diameter measured 4.5 feet above the ground.

 $\overline{((2))}$  For lots that do not meet the lot depth requirement ((,)) but have a greater width than depth and an area greater than 5,000 square feet, a detached accessory dwelling unit is permitted, provided the detached accessory dwelling unit is not located in a required yard.

((<sup>3</sup>The exceptions from standard yard requirements in subsection 23.44.014.C.6.a shall also apply.))

<sup>4</sup> External architectural details with no living area, such as chimneys, eaves, cornices, and columns, may project no closer than 3 feet from any lot line. Bay windows are limited to 8 feet in width and may project no closer than 3 feet from any lot line. Other projections that include interior space, such as garden windows, must start a minimum of 30 inches above the finished floor, have a maximum dimension of 6 feet in height and 8 feet in width, and project no closer than 3 feet from any lot line.

 $^{((4)) 5}$  If the lot line is adjacent to an alley and a detached accessory dwelling unit includes a garage with a vehicle entrance that faces the alley, the garage portion of the structure may not be located within 12 feet of the centerline of the alley.

 $^{((5))}$   $\underline{^{6}}$  On a reversed corner lot, no detached accessory dwelling unit shall be located in that portion of the required rear yard that abuts the required front yard of the adjoining key lot.  $^{((6))}$   $\underline{^{7}}$  Features such as chimneys, antennas, and flagpoles may extend up to 4 feet above the maximum allowed height.

((<sup>7</sup>Detached accessory dwelling units on lots that have a width greater than 40 feet up to 50 feet may be built to the maximum height limit applicable in the column for lots greater than 50 feet when the detached accessory dwelling unit is located on a lot with a rear lot line that is adjacent to an alley.))


<sup>8</sup> Projections that accommodate windows and result in additional interior space, including dormers, clerestories, and skylights, may extend no higher than the ridge of a pitched roof permitted pursuant to row k if all (( $\Theta$ f)) conditions of subsection 23.44.012.C.3 are satisfied.

<sup>9</sup> Any structure with a green roof or other features necessary to meet a green building standard, as defined by the Director by rule, may extend up to 2 feet above the maximum allowed height. <sup>10</sup>Open railings that accommodate roof decks may extend 4 feet above the base structure height limit.

Aly Pennucci LEG Accessory Dwelling Units ORD D5D6

#### **Exhibit A for 23.44.041**

#### Additional roof pitch height and base height limit



1 2

3

Aly Pennucci LEG Accessory Dwelling Units ORD D5D6

2. Conversion of accessory structures. An existing accessory structure that is not located in a required front yard, or that is located in a front yard where Section 23.40.030 or 23.40.035 applies, may be converted into a detached accessory dwelling unit if the structure complies with the minimum standards set forth in Sections 22.206.010 through 22.206.140 of the Housing and Building Maintenance Code and with the Seattle Residential Code, if work requiring a permit is performed on the structure or has previously been performed without a permit. ((The)) To allow the conversion of an existing accessory structure, the Director may allow an exception to one or more of the development standards for accessory dwelling units contained in ((subsection 23.44.041.A.5 and)) standards a through f, and h ((, i and j)) through k, listed in Table ( $(\mathbf{B})$ ) A for 23.44.041, provided the conversion does not increase the structure's nonconformity with the standard. ((and)) An existing accessory structure may be converted if the applicant can demonstrate that the accessory structure ((was constructed)) existed prior to ((June 1, 1999)) December 31, 2017, as an accessory structure. If an accessory structure ((constructed)) existing prior to ((June 1, 1999)) December 31, 2017, was replaced to the same configuration in accordance with the standards of Section 23.42.112, then the replacement structure also qualifies for conversion under this subsection 23.44.041.C.2. For purposes of this subsection 23.44.041.C.2, the term "conversion" means either keeping the accessory structure intact or removing and rebuilding the accessory structure, provided that any expansion or relocation of the accessory structure complies with the development standards for detached accessory dwelling units.

21

((C. Owner occupancy

<sup>1</sup> 2 3 4 5 6 7 8 9 10 11 12 13 14 15 16 17 18 19 20

Aly Pennucci LEG Accessory Dwelling Units ORD

Ð5D6 1 Requirement. An owner with at least a 50 percent interest in the property 1. 2 must occupy either the principal dwelling unit or the accessory dwelling unit for six or more 3 months of each calendar year as the owner's permanent residence. The Director may waive this 4 requirement for up to three years if a letter is submitted that provides evidence to the Director 5 showing good cause why the requirement for owner occupancy should be waived. Good cause 6 may include job dislocation, sabbatical leave, education, or illness. 7 2. Violation. If an owner is unable or unwilling to fulfill the requirements of 8 subsection 23.44.041.C.1, the owner shall remove those features of the accessory dwelling unit 9 that make it a dwelling unit. Failure to do so will constitute a violation of this Title 23 and the 10 owner will be subject to penalties pursuant to Sections 23.90.018, 23.90.019 and 23.90.020. 11 3. Covenant recording. Prior to issuance of a permit establishing an 12 accessory dwelling unit, the owner(s) shall sign under oath and record in the King County 13 Recorder a covenant by the owner(s) to the City of Seattle stating that the owner(s) agree to 14 restrict use of the principal and accessory dwelling units in compliance with the requirements of 15 this subsection 23.44.041.C and notify all prospective purchasers of those requirements. Falsely 16 certifying to the terms of the covenant or failure to comply with the terms of the covenant is 17 subject to penalties pursuant to Sections 23.90.018, 23.90.019 and 23.90.020. 18 The covenant shall run with the land and be binding upon the property owner, 19 his/her heirs and assigns, and upon any parties subsequently acquiring any right, title or interest

20

21 description of the principal use lot. The property owner(s) shall return the original covenant with

in the property. The covenant shall be in a form prescribed by the Director that includes the legal

Aly Pennucci LEG Accessory Dwelling Units ORD D5D6

I

1	recording stamp to the Department before the building permit for the accessory dwelling unit is
2	issued.
3	4. Covenant release. At the request of a property owner and after an
4	inspection finding that an accessory dwelling unit has been removed from the owner's property,
5	the Department shall record a release of any previously recorded covenant for that accessory
6	dwelling unit.))
7	D. Single-family status unaffected. A single-family lot with any <u>number of</u> accessory
8	dwelling units shall be considered a single-family ((residence)) dwelling unit for purposes of
9	rezone criteria (Section 23.34.011).
10	Section 6. Section 23.45.545 of the Seattle Municipal Code, last amended by Ordinance
11	125791, is amended as follows:
12	23.45.545 Standards for certain accessory uses
13	***
14	I. In LR zones, accessory dwelling units are $allowed((,))$ in single-family, rowhouse and
15	townhouse units, as follows:
16	1. One accessory dwelling unit is allowed for each single-family, rowhouse, or
17	townhouse unit that is a "principal unit."(( $\cdot$ )) A "principal unit" is a dwelling unit that is not an
18	accessory dwelling unit.
19	2. ((The owner of a principal unit shall comply with the owner occupancy
20	requirements of subsection 23.44.041.C.
21	3.))2. The height limit for a detached accessory dwelling unit is 20 feet, except
22	that the ridge of a pitched roof on a detached accessory dwelling unit may extend up to 3 feet

Aly Pennucci LEG Accessory Dwelling Units ORD

I

1	above the 20-foot height limit. All parts of the roof above the height limit shall be pitched at a
2	rate of not less than 4:12. No portion of a shed roof is permitted to extend beyond the 20-foot
3	height limit.
4	((4)) <u>3</u> . The maximum gross floor area of an accessory dwelling unit is 650 square
5	feet, provided that the total gross floor area of the accessory dwelling unit does not exceed 40
6	percent of the total gross floor area in residential use on the lot or unit lot, if present, exclusive of
7	garages, storage sheds, and other non-habitable spaces.
8	((5)) <u>4</u> . An accessory dwelling unit shall be located completely within the same
9	structure as the principal unit or in an accessory structure located between the single-family,
10	rowhouse, or townhouse unit and the rear lot line.
11	$((\Theta))$ 5. The entrance to an accessory dwelling unit provided within the same
12	structure as the principal unit shall be provided through one of the following configurations:
13	a. Through the primary entry to the principal unit; or
14	b. Through a secondary entry on a different facade than the primary entry
15	to the principal unit; or
16	c. Through a secondary entry on the same facade as the primary entry to
17	the principal unit that is smaller and less visually prominent than the entry to the principal unit,
18	and does not have a prominent stoop, porch, portico or other entry feature.
19	((7)) <u>6</u> . Exterior stairs. Exterior stairs providing access to an accessory dwelling
20	unit may not exceed 4 feet in height, except for exterior stairs providing access to an accessory
21	dwelling unit located above a garage.
22	((8))7. Parking. Parking is not required for an accessory dwelling unit.

Aly Pennucci LEG Accessory Dwelling Units ORD

I

1	$\frac{DSD6}{((9))8}$ . In the Shoreline District, accessory dwelling units in single-family,			
2	rowhouse, and townhouse units shall be as provided in Chapter 23.60A <sub>2</sub> and where allowed in			
3	the Shoreline District, ((they)) are also subject to the provisions in this subsection 23.45.545.I.			
4	J. Urban farms are subject to the standards in Section 23.42.051 and the conditional use			
5	requirement in subsection 23.45.504.C.8.			
6	Section 7. Section 23.84A.002 of the Seattle Municipal Code, last amended by Ordinance			
7	125791, is amended as follows:			
8	23.84A.002 "A"			
9	* * *			
10	"Atrium, shopping." See "Shopping atrium."			
11	"Attached accessory dwelling unit." See "Residential use."			
12	"Automobile wrecking yard." See "Solid waste management, Salvage yard," under			
13	"Utility."			
14	* * *			
15	Section 8. Section 23.84A.032 of the Seattle Municipal Code, last amended by Ordinance			
16	125603, is amended as follows:			
17	23.84A.032 "R"			
18	* * *			
19	"Residential use" means any one or more of the following:			
20	1. "Accessory dwelling unit" means one or more rooms that:			

Aly Pennucci LEG Accessory Dwelling Units ORD

1	<del>DSD6</del> a		a.	((are)) Are located within ((an owner-occupied)) a principal sing		
2	<u>family</u> -dwelling unit ((,)) or within an accessory structure on the same lot as ((an owner-					
3	occupied)) a principal single-family dwelling unit;					
4			b.	((meet)) Meet the standards of Section 23.44.041, ((or)) Section		
5	23.45.545, or Chapter 23.47A, as applicable;					
6			с.	((are)) Are designed, arranged, and intended to be occupied by not		
7	more than one household as living accommodations independent from any other household; and					
8			d.	((are)) <u>Are</u> so occupied or vacant.		
9		<u>2</u> .	"Attac	hed accessory dwelling unit" means an accessory dwelling unit that		
10	is within a principal single-family-dwelling unit.					
11	(( <del>2</del> )) <u>3</u> .		•	"Adult family home" means an adult family home defined and		
12	licensed as such by ((The)) the State of Washington in a dwelling unit.					
13	(( <del>3</del> )) <u>4</u> .			"Apartment" means a multifamily residential use that is not a		
14	cottage housing development, rowhouse development, or townhouse development.					
15	((4)) <u>5</u> .			"Artist's studio/dwelling" means a combination working studio		
16	and dwelling unit for artists, consisting of a room or suite of rooms occupied by not more than					
17	one household.					
18		(( <del>5</del> )) <u>6</u>		"Assisted living facility" means a use licensed by ((The)) the State		
19	of Washington as a boarding home pursuant to RCW <u>Chapter</u> 18.20((,)) that contains at least two					
20	assisted living units for people who have either a need for assistance with activities of daily					
21	living (which are defined as eating, toileting, ambulation, transfer (({})) (e.g., moving from bed to					

Aly Pennucci LEG Accessory Dwelling Units ORD

Ð5D6 1 chair or chair to bath),  $((\frac{1}{2}))$  and bathing) or some form of cognitive impairment but who do not need the skilled critical care provided by nursing homes. See "Assisted living unit." 2 "Carriage house" means a dwelling unit in a carriage house 3 ((6)) 7. 4 structure. 5 ((7))<u>8</u>. "Carriage house structure" means a structure within a cottage housing development, in which one or more dwelling units are located on the story above an 6 7 enclosed parking garage at ground level that either abuts an alley and has vehicle access from 8 that alley, or is located on a corner lot and has access to the parking in the structure from a 9 driveway that abuts and runs parallel to the rear lot line of the lot. See also "Carriage house." 10  $((\frac{8}{3}))$  9. "Caretaker's quarters" means a use accessory to a non-residential 11 use consisting of a dwelling unit not exceeding 800 square feet of living area and occupied by a 12 caretaker or watchperson. 13 ((9)) 10. "Congregate residence" means a use in which rooms or lodging, 14 with or without meals, are provided for nine or more non-transient persons not constituting a 15 single household, excluding single-family dwelling units for which special or reasonable 16 accommodation has been granted. 17 ((10)) <u>11</u>."Cottage housing development" means a use consisting of cottages 18 arranged on at least two sides of a common open space or a common amenity area. A cottage 19 housing development may include a carriage house structure. See "Cottage," "Carriage house," 20 and "Carriage house structure." 21 "Detached accessory dwelling unit" means an accessory dwelling ((11)) 12.22 unit in an accessory structure.

Aly Pennucci LEG Accessory Dwelling Units ORD

I

1	<u>₽5</u> <u>D6</u>	(( <del>12</del> )) <u>13</u> .	"Domestic violence shelter" means a dwelling unit managed by a			
2	nonprofit organization, which unit provides housing at a confidential location and support					
3	services for victims of domestic violence.					
4		(( <del>13</del> )) <u>14</u> .	"Floating home" means a dwelling unit constructed on a float that			
5	is moored, anchored, or otherwise secured in the water.					
6		(( <del>14</del> )) <u>15</u> .	"Mobile home park" means a tract of land that is rented for the use			
7	of more than one mobile home occupied as a dwelling unit.					
8		(( <del>15</del> )) <u>16</u> .	"Multifamily residential use" means a use consisting of two or			
9	more dwelling units in a structure or portion of a structure, excluding accessory dwelling units.					
10		(( <del>16</del> )) <u>17</u> .	"Multifamily residential use, low-income disabled" means a			
11	multifamily residential use in which at least 90 percent of the dwelling units are occupied by one					
12	or more person	is who have a l	handicap as defined in the Federal Fair Housing Amendments Act			
12 13			handicap as defined in the Federal Fair Housing Amendments Act ome household.			
	and who consti					
13	and who consti	itute a low-inc (( <del>17</del> )) <u>18</u> .	ome household.			
13 14	and who consti residential use	itute a low-inc (( <del>17</del> )) <u>18</u> . in which at lea	ome household. "Multifamily residential use, low-income elderly" means a			
13 14 15	and who consti residential use persons 62 or r	itute a low-inc (( <del>17</del> )) <u>18</u> . in which at lea	ome household. "Multifamily residential use, low-income elderly" means a ast 90 percent of the dwelling units are occupied by one or more			
13 14 15 16	and who consti residential use persons 62 or r	itute a low-inc (( <del>17</del> )) <u>18</u> . in which at lea more years of a (( <del>18</del> )) <u>19</u> .	ome household. "Multifamily residential use, low-income elderly" means a ast 90 percent of the dwelling units are occupied by one or more age who constitute a low-income household.			
13 14 15 16 17	and who consti residential use persons 62 or r disabled" mean	itute a low-inc (( $17$ )) <u>18</u> . in which at lea more years of a (( $18$ )) <u>19</u> . ns a multifamil	ome household. "Multifamily residential use, low-income elderly" means a ast 90 percent of the dwelling units are occupied by one or more age who constitute a low-income household. "Multifamily residential use, low-income elderly/low-income			
13 14 15 16 17 18	and who consti residential use persons 62 or r disabled" mean (not including	itute a low-inc (( $17$ )) <u>18</u> . in which at lea more years of a (( $18$ )) <u>19</u> . ns a multifamil vacant units) a	ome household. "Multifamily residential use, low-income elderly" means a ast 90 percent of the dwelling units are occupied by one or more age who constitute a low-income household. "Multifamily residential use, low-income elderly/low-income ly residential use in which at least 90 percent of the dwelling units			
<ol> <li>13</li> <li>14</li> <li>15</li> <li>16</li> <li>17</li> <li>18</li> <li>19</li> </ol>	and who consti residential use persons 62 or r disabled" mean (not including has a handicap	itute a low-inc ((17)) <u>18</u> . in which at lea more years of a ((18)) <u>19</u> . ns a multifamil vacant units) a a s defined in t	ome household. "Multifamily residential use, low-income elderly" means a ast 90 percent of the dwelling units are occupied by one or more age who constitute a low-income household. "Multifamily residential use, low-income elderly/low-income ly residential use in which at least 90 percent of the dwelling units are occupied by a low-income household that includes a person who			

Aly Pennucci LEG Accessory Dwelling Units ORD

<del>D5</del>D6 1 discrimination against families with children and against age discrimination under all applicable 2 fair housing laws and ordinances. "Nursing home" means a use licensed by ((The))the State of 3 ((19)) 20.4 Washington as a nursing home, which provides full-time convalescent and/or chronic care for 5 individuals who, by reason of chronic illness or infirmity, are unable to care for themselves, but 6 that does not provide care for the acutely ill or surgical or obstetrical services. This definition 7 excludes hospitals or sanitariums. "Rowhouse development" means a multifamily residential use in 8 ((<del>20</del>)) 21. 9 which all principal dwelling units on the lot meet the following conditions: 10 a. ((each)) Each dwelling unit occupies the space from the ground to 11 the roof of the structure in which it is located; 12 b. ((no)) No portion of a dwelling unit, except for an accessory 13 dwelling unit or shared parking garage, occupies space above or below another dwelling unit; 14 ((each)) Each dwelling unit is attached along at least one common c. 15 wall to at least one other dwelling unit, with habitable interior space on both sides of the 16 common wall, or abuts another dwelling unit on a common lot line; 17 d. ((the)) The front of each dwelling unit faces a street lot line; 18 ((each)) Each dwelling unit provides pedestrian access directly to e.

the street that it faces; and
f. ((no)) No portion of any other dwelling unit, except for an attached
accessory dwelling unit, is located between any dwelling unit and the street faced by the front of
that unit.

Aly Pennucci LEG Accessory Dwelling Units ORD

1	$\frac{DSD6}{((21)) 22}$ . "Single-family dwelling unit" means a detached <u>principal</u> structure					
2	having a permanent foundation, containing one dwelling unit, except that the structure may also					
3	contain ((an)) one or two attached accessory dwelling units where expressly authorized pursuant					
4	to this Title 23. A detached accessory dwelling unit is not considered a single-family dwelling					
5	unit for purposes of this Chapter 23.84A.					
6	((22)) <u>23</u> . "Townhouse development" means a multifamily residential use					
7	that is not a rowhouse development, and in which:					
8	a. ((each)) <u>Each</u> dwelling unit occupies space from the ground to the					
9	roof of the structure in which it is located;					
10	b. $((no))$ <u>No</u> portion of a dwelling unit occupies space above or below					
11	another dwelling unit, except for an attached accessory dwelling unit and except for dwelling					
12	units constructed over a shared parking garage; and					
13	c. ((each)) <u>Each</u> dwelling unit is attached along at least one common					
14	wall to at least one other dwelling unit, with habitable interior space on both sides of the					
15	common wall, or abuts another dwelling unit on a common lot line.					
16	* * *					
17	Section 9. Section 23.84A.038 of the Seattle Municipal Code, last amended by Ordinance					
18	125792, is amended as follows:					
19	23.84A.038 "T"					
20	* * *					
21	"Tree, exceptional" means a tree designated as such per Chapter 25.11.					

Aly Pennucci LEG Accessory Dwelling Units ORD D\$D6

"Triplex" means a single structure containing three (((3))) dwelling units, none of which

is an accessory dwelling unit authorized under Section 23.44.041.

Section 10. Section 23.86.007 of the Seattle Municipal Code, last amended by Ordinance 125791, is amended as follows:

\* \* \*

#### 23.86.007 Floor area and floor area ratio measurement

1

2

3

4

5

6

7

8

D. Pursuant to subsections 23.44.011.C, <u>23.44.018.A</u>, 23.45.510.D, and

23.47A.013.B, and Section 23.48.020, for certain structures in ((RSL)) single-family,

9 multifamily, commercial, and Seattle Mixed zones, portions of a story that extend no more than 4
10 feet above existing or finished grade, whichever is lower, are exempt from calculation of gross
11 floor area. The exempt gross floor area of such partially below-grade stories is measured as
12 follows:

Determine the elevation 4 feet below the ceiling of the partially below grade story, or 4 feet below the roof surface if there is no next floor above the partially below grade story;

Determine the points along the exterior wall of the story where the
 elevation determined in subsection 23.86.007.D.1 ((above)) intersects the abutting corresponding
 existing or finished grade elevation, whichever is lower;

- 19 3. Draw a straight line across the story connecting the two points on the20 exterior walls; and
- 4. The gross floor area of the partially below-grade story or portion of a
  partially below-grade story is the area of the story that is at or below the straight line drawn in

Aly Pennucci LEG Accessory Dwelling Units ORD D5D6

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

subsection 23.86.007.D.3, excluding openings required by the Building Code for egress. (See Exhibit B for 23.86.007.)

\* \* \*

Section 11. The Seattle Department of Construction and Inspections (SDCI) shall report annually for five years after implementation to the Planning, Land Use and Zoning Committee, or its successor committee, on <u>Citywide-citywide</u> accessory dwelling unit permit activity. The report shall be delivered to the City Council by no later than June 30 of the following calendar year, with the first report due on June 30, 2021, and the final report due on June 30, 2025. This annual report shall include detailed information on all attached and detached accessory dwelling unit (ADU) permits issued and all permits finaledized, including:

A. The number of permits issued to construct ADUs and the number of permits
finaled over the previous five-year period. This should include the number of permits issued and
finaled for a second ADU and details on whether the second ADU was constructed in a new
structure or through conversion of or an addition to an existing structure<sub>5</sub>.

B. The number of permits issued for ADUs that were associated with the redevelopment of a single-family lot that included demolition of a principal single-family dwelling unit=:

C. A map that shows the location and dispersion of both attached and detached accessory dwelling units, including the number and location of lots that have two ADUs; and

D. For each detached accessory dwelling unit permit issued, the report shall state the height, gross floor area, total square footage of the lot where the detached accessory dwelling unit is located, and total lot coverage of all structures on the lot=:

Aly Pennucci LEG Accessory Dwelling Units ORD D\$D6

1

2

3

4

5

12

13

14

15

16

17

18

19

20

21

22

E. Information on the number of short-term rental operator licenses issued by the Department of Finance and Administration-Administrative Services (FAS) that authorizes shortterm rental use in an ADU. In addition, the <u>City</u> Council requests that SDCI works with FAS to develop this information and identify recommendations, as appropriate, for modifications to the regulations governing short-term rental use=: and

F. The number of ADU permits that have included the addition of new off-street
parking spaces. In addition, <u>SDCI shall</u> report on <u>parking-parking-</u>related impacts, if any, that
have been identified by the City <u>that areas</u> a result of new ADUs in an area. This should include
a recommendation on any modifications the <u>City</u> Council should consider to the off-street
parking requirements for accessory dwelling units, including geographic specific
recommendations.

G. By July 1, 2022, SDCI and the Office of Planning & and Community Development (OPCD) shall conduct a voluntary survey of ADU owners and occupants to collect descriptive statistics of owners and occupants of ADUs. This shall include information on the use, size, financing, rent charged, ownership, design, and construction of ADUs built in Seattle, and general demographic information of ADU owners and occupants. Any information collected must be in compliance with applicable legal limitations. The OPCD and SDCI shall provide a report to the Planning, Land Use and Zoning Committee, or its successor committee, on the survey results. In addition, OPCD and SDCI shall report on challenges to constructing ADUs identified through the survey results and recommend changes to address identified challenges.

Section 12. The <u>City</u> Council requests that the Seattle Department of Construction and Inspections develops a process to ensure that, property owners are provided educational

Aly Pennucci LEG Accessory Dwelling Units ORD D5D6

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

materials at the time a permit to construct an accessory dwelling unit is issued, property owners
 are provided educational materials about becoming a landlord, including applicable state and
 local laws- about landlords obligations and the rights of renters. In addition, SDCI shall notify
 those property owners of any available trainings for landlords.

Section 13. The <u>City</u> Council requests that the Seattle Department of Construction and Inspections (SDCI) develops an amnesty program for accessory dwelling units that were constructed without permits. The program shall permit owners of accessory dwelling units constructed without a permit to come forward during a certain time period and legalize their units without penalty. SDCI shall develop standards that will not discourage owners from seeking legalization of the units voluntarily, including identifying the potential for flexibility from Land Use Code and Building Code standards that would simplify and reduce the cost of legalizing these units while ensuring that the accessory dwelling units are safe and habitable.

Section 14. The <u>City</u> Council requests that the Office of Housing (<u>OH</u>) reports to the Council by September 1, 2020, on the outcomes and lessons learned from the pilot program that authorizes loans to low-income homeowners who want to create additional habitable space <del>on</del> their property or an accessory dwelling unit <u>on their property</u>. In addition, OH shall provide recommendations on the potential for expanding this program, or creating a new program, to offer financial support to any homeowner who enter<u>s</u> into an agreement to offer the ADU as a rent- and income-restricted unit.

Section 15. Sections 1 of this ordinance shall take effect and be in force 180 days after its approval by the Mayor, but if not approved and returned by the Mayor within ten days after presentation, it shall take effect on March 1, 2020.

Aly Pennucci LEG Accessory Dwelling Units ORD

l

1	DSD6 Section 16 This ordinance shall take	affect and he in force 30 da	ve after its approval by						
	Section 16. This ordinance shall take effect and be in force 30 days after its approval by								
2	the Mayor, but if not approved and returned by the Mayor within ten days after presentation, it								
3	shall take effect as provided by Seattle Municipal Code Section 1.04.020.								
4	Passed by the City Council the	day of	, 2019,						
5	and signed by me in open session in authentication of its passage this day of								
6	, 2019.								
7									
8		President of	f the City Council						
9	Approved by me this day	of	, 2019.						
10									
11		Jenny A. Durkan, Mayor							
12	Filed by me this day of		_, 2019.						
13									
14		Monica Martinez Simmons	, City Clerk						
15	(Seal)								